

Kolica za alat Europlus

920PLUS1




Profili



Opis proizvoda

- materijal: premium PLUS čelični lim
- efikasan sistem za centralno zaključavanje, sa pregibnim ključem
- bravica sa ključem i priveskom
- mehanizam za ujednačeno zatvaranje fioka sa kukom
- polica višenamenska obezbeđuje dodatni radni prostor
- točkovi prečnika 125 mm, za veću pokretljivost i stabilnost
- anti-shock gumena zaštita svih ivica kolica
- fioke sa kliznim vodičama
- sintetičke podloge štite fioke i alat od oštećenja
- 8 fioka: sedam dimenzija 565x365x70 mm i jedna dimenzija 565x385x150 mm

- statičko opterećenje kolica bez točkova: 2000 kg
- dinamičko opterećenje kolica: 500 kg
- nosivost svake fioke pojedinačno: 45 kg
- osnovne dimenzije sa ručkom i točkovima L 810 x W 510 x H 945mm
- zaštitni, ekološki lak bez kadmijuma i olova
- ukupna zapremina fioke: 132 litra
- fioke su kompatibilne sa sve 3 veličine SOS uložaka: 1/3, 2/3, 3/3
- mogućnost ubacivanja dodataka



	L	B	H	H1	
617100	810	510	945	796	72200

* Fotografije proizvoda su simbolične. Sve dimenzije su u mm, a težina u gramima. Sve navedene dimenzije mogu odstupati u granicama tolerancija.

Upotreba (slike)



Dodatna oprema



Garnitura od 4 pregrade za 920PLUS



Držać papira - velika rolna



Držać za flaše za kolica za alat Europlus



Pokrivka plastična



SOS uložak za alat - prazan



SOS uložak za alat - prazan

Rezervni delovi



Bravica sa ključevima



Klizni držač 940E1-9



Točkovi za kolica

Pravilna upotreba



- Lock all your drawers before trying to roll the tool carriage into a new work area.
- Set the brakes on the locking casters after you have rolled the cabinet to your work area.
- Treat your tool carriage, tool chests, or tool boxes with respect.
- Always follow the prescribed max load capacity of individual drawers and the carriage as a whole.
- Always put heavier objects in the bottom drawers
- Always close drawers when not in use.
- Always follow manufacturer manual instructions regarding assembly and repair of your tools.



- Don't open two or more drawers at the same time, there is high chance of it tipping over.
- Don't throw tools into drawer, always put the tools in.
- Don't use an opened drawer as a working surface.
- Don't clean a lacquered surface with a solvent cleaner.
- Don't pull a tool carriage as you won't be able to see where you are headed. Push it in front of you so you can see where you are going.
- Don't stack a tool carriage with too many extra chests or tool trays; it may tip over at the most unexpected time.
- Don't roll a tool carriage with loose tools or parts on top of the carriage.
- Don't roll a tool carriage too quickly; a pot hole in the floor or some hardware on the floor may cause an accident.
- Don't overload the drawers; if you haven't got room for all of your tools, you need a larger tool carriage.
- Don't open up too many loaded drawers at a time; close each drawer before opening up another. Heavily loaded opened drawers are an invitation to tipping.

