

Service trolley

940T



Profiles





Product features

- Ergonomic, lightweight and easily moved service trolley
- This industrial-quality service trolley is ideal for use in garages, engineering workshops and warehouses.
- It allows the user to easily transport tools and components around the working area, and keep them easily at hand while working on a task.
- This trolley encourages and organized, pre-planned approach to tasks, and improves efficiency, productivity and comfort.
- The water-resistant top shelf allows easy access to tools and parts at a comfortable working height,
 while the lower shelf provides additional storage.
- The shelves are engineered for a maximum load of 100kg each, and are protected with an impactresistant, anti-slip mat.


Made in Europe to the highest standards, and backed by Unior's lifetime warranty.

Includes:

- 4 casters 2 fixed and 2 swivelling. One easily-braked caster.
- Two water-resistant shelves, upper complete with impact-absorbing, anti-slip mat

Specifications:

- Total capacity 200kg. Maximum 100kg per shelf.
- Assembled dimensions: 1072 x 600 x 887mm
- Packaged dimensions: 1020 x 635 x 190mm



	L	В	Н	L1	H1	å
627351	1072	600	887	1000	760	30000

^{*} Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

Usage (pictures)



Accessories




Spare parts



Related products





Frequently asked questions

Is the 940T service carriage assembled before shipping?

The service carriage is sent disassembled and is then assembled according to the instructions included.