

























Garnitura orodja 4 za 2600A in 2600C

SET4-2600AC

NOVO



Naziv izdelka	SKU	Izdelek	Dimenzija	Količina
Garnitura orodja 4 za 2600A in 2600C	629836	SET4-2600AC		74
Ključ viličasti		110/1	4 x 5, 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 29, 30 x 32	14
Izvijač inbus za kotno vijčenje s T ročajem		193HXS-US	3, 4, 5	3

Naziv izdelka	SKU	Izdelek	Dimenzija	Količina
Klešče kombinirane		406/1VDEBI	160	1
Klešče univerzalne, paralelne		449/1PYTHON-US	240	1
Čeljust plastična za 449/1PYTHON		449.1	240	1
Klešče telefonske		506/1VDEBI	140	1
Natezne klešče z zapornim mehanizmom		1642.1/2P-US		1
Klešče za vijake		407/4PR	170	1
Klešče za ščipanje vezic		463/4BI-US	140	1
Inbus trokraki		1781/2HX-US	4x5x6, 2x2,5x3	2
Torx trokraki		1781/2TX-US	10x15x25	1
Ključ inbus s TX profilom in luknjo		220/7TX	TR 10	1
Ključ inbus, dolg		220/3L	10, 12	2
Ključ inbus za kotno vijačenje, dolg		220/3SL	1.5, 2, 2.5, 3, 4, 5, 6, 8	8
Ključ momentni, elektronski		266B	1/4"x1 - 20, 1/2"x4,3 - 85	2
Ključ za matico hidravlične cevi		1760/2		1
Nastavek vijačni 1/4", inbus		187/2HX	2,5, 3, 4, 5, 6	5
Nastavek vijačni 1/4", s TX profilom		187/2TX	TX 8, TX 10, TX 15, TX 25, TX 27, TX 30	6
Adapter 1/4"		188.7/2	1/4" - 3/8"	1
Podaljšek 1/4"		188.4/2	1/4"x100	1
Podaljšek 1/2"		190.4/1	1/2"x125	1
Ključ nasadni 1/4", 6 kotni		188/2 6p	7, 8, 9, 10, 11	5
Ključ nasadni 1/2", 6 kotni		190/1 6p	12, 13, 14, 15, 17, 18, 19	7
Nastavek vijačni 1/2", inbus, dolg		192/2HXL	6x64, 8x64, 10x64	3
Adapter 1/2"		190.7/2	1/2"x3/8"	1
Raglja dvosmerna 1/2"		190.1/1ABI-US	1/2"	1
Raglja dvosmerna 1/4"		188.1/1ABI-US	1/4"	1
Vložek 4 za 2600A in 2600C		vI4-2600AC	560x570x40	1

* Slike proizvodov so simbolične. Vse dimenzije so v mm, masa v g. Vse navedene dimenzije lahko odstopajo v tolerančnih merah.

Uporaba (slike)

