


# Set of tools in tool tray

964/60SOS

NOVO



## Atributi proizvoda

### Set sadrži:

- 1x račna dvosmjerna, prihvatač 1/4"
- pribor 1/4"; 1x ručka sa zglobom, 1x T ručka, 2x nastavak (55, 150mm), 1x kardanski zglob, 1x adapter (1/4"-3/8")
- 1x odvijač s nastavkom 1/4"
- 10x socket 1/4", 6 point (article 188/2 6P) dim. 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
- 1x račna dvosmjerna, prihvatač 1/2"
- accessories 1/2"; 1x sliding T - handle, 1x extension bar 125mm, 1x universal joint
- 19x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 30, 32
- 5x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX20, TX25, TX27, TX30, TX40
- 6x T-handle ball-end hex wrench (article 193HXS) dim. 3, 4, 5, 6, 7, 8

### SOS ulošci za alat - prednosti:















- Materijal: polietilenska pjena niske gustoće
- SOS ulošci za alat izrađeni su od dvoslojne poliuretanske pjene, otporne na maziva, benzin, ulja, nitro razrjeđivače, ljepljiva i motorna ulja - sve ovo može se jednostavno ukloniti bez ikakvih vidljivih ostataka ili mrlja. Ljepljiva i motorna ulja moraju se odmah ukloniti čišćenjem benzinom kako bi se izbjegle trajne mrlje. Ovi ulošci za alat su otporni u uobičajenim uvjetima te ne mijenjaju oblik sve do temperature od 80 °C.

- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

### Zašto odabrati UNIOR:


- Unior je renomirana robna marka u industriji, poznata po predanosti kvaliteti i inovacijama. S ostavštinom izvrsnosti, Unior alati su izrađeni da zadovolje najviše standarde, osiguravajući pouzdanost i izvanredne performanse.



| Naziv proizvoda                           | SKU   | Članak     | Standardi  | Količina |
|---|---|------------|--|----------|
| Set of tools in tool tray                 | 629981  | 964/60SOS  |  | 52       |
| Račna dvosmjerna, prihvat 1/4"            |  | 188.1/1ABI | 1/4"   | 1        |
| Ručica sa zglobom, prihvat 1/4"           |  | 188.2/2BI  | 1/4"   | 1        |
| T-ručica, prihvat 1/4"                    |  | 188.3/2    | 1/4"   | 1        |
| Produžetak, prihvat 1/4"                  |  | 188.4/2    | 1/4"x55, 1/4"x150  | 2        |
| Kardanski zglob, prihvat 1/4"             |  | 188.6/2    | 1/4"   | 1        |
| Odvijač s nastavkom 1/4"                  |  | 188.8      | 1/4"   | 1        |
| Ključ nasadni, prihvat 1/4" 6-kutni       |  | 188/2 6p   | 4, 5, 6, 7, 8, 9, 10, 11, 13, 12   | 10       |
| Račna dvosmjerna, prihvat 1/2"            |  | 190.1/1ABI | 1/2"   | 1        |
| T-ručica, prihvat 1/2"                    |  | 190.3/1    | 1/2"   | 1        |
| Produžetak, prihvat 1/2"                  |  | 190.4/1    | 1/2"x125   | 1        |
| Zglob kardanski, prihvat 1/2"             |  | 190.6/2    | 1/2"   | 1        |
| Ključ nasadni, prihvat 1/2"               |  | 190/1 6p   | 10, 11, 12, 13, 14, 15, 16, 17,<br>18, 19, 21, 22, 23, 24, 26, 27,<br>28, 30, 32 | 19       |
| Ključ nasadni s TX profilom, prihvat 1/2" |  | 192/2TX    | TX 20, TX 25, TX 27, TX 30,<br>TX 40   | 5        |
| Ključ imbus s T-ručicom                   |  | 193HX      | 3, 4, 5, 6, 7, 8   | 6        |

\* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.

upotreba (pictures)



## Related products



Set alata u kolicima 940EM1