

Suspension service set

1704










Description produit

Designed for both workshop professionals and riders who prefer to handle their own maintenance, the Unior Suspension Service Set brings reliable performance and smart organization wherever you need it. It includes everything required to service suspension forks and shocks, with the most used tools neatly arranged in a high-quality SOS tool tray and stored in a durable, space-saving box—making it easy to carry and ready for any service task.

Avantages :

- Bushing extractor set – Sizes 12 mm and 12.7 mm for smooth and safe removal
- Fork seal driver tool – Fits fork slider sizes 30, 32, 34, 35, 36, 37, 38, and 40 mm
- Hex wrenches –1.5, 2, 2.5, and 3 mm for fine adjustments
- Suspension top cap socket – made of aluminum, anodized red, 1/2" drive, sizes 24, 26, 27, 28, 30, 32
- 1/2" drive sockets – Sizes 10, 15

- 1/2" reversible ratchet – Sturdy, ergonomic, and workshop-ready
- 1/4" socket and swivel handle – Size 5 mm, ideal for tighter spaces
- Suspension wrench with strap – Designed for a secure, non-damaging grip on shocks air cans
- Waterpump box joint pliers – Reliable and strong for various tasks
- Awl with round, double bent blade – Perfect for seal removal and detailed work

Nom du produit	SKU	Article	Dimensions	Quantité
Suspension service set	640040	1704		29
Extracteur de bagues de suspension		1701/5	3	1
Outil pour monter les joints d'étanchéité de fourches		1702	30, 32, 34, 35, 36, 40, 37, 38	8
Poignée articulée 1/4" gainage BI		188.2/2BI	1/4"	1
Douille 1/4" 6 pans		188/2 6p	5	1
Cliquet réversible 1/2" gainage BI		190.1/1ABI	1/2"	1
Douilles 1/2" 6 pans		190/1 6p	10, 15	2
Clé 6 pans mâle		220/3	3, 1.5, 2, 2.5	4
Pince multiprise entrepassée "PYTHON"		449/1PYTHON	240	1
Poinçon contre coudé grande lame		639C	165	1
Boîte en plastique pour composition de douilles et accessoires		981PB4	393x331x95	1

* Les images des produits ne sont pas contractuelles. Toutes les dimensions sont en mm, les poids en grammes.

Utilisation (pictures)



