Profesionalni stalak za centriranje točkova, verzija 2.1

1689 2.1	NOVO!



Opis proizvoda


- oblik kontrolnika omogućava simultanu kontrolu odstupanja centričnosti obruča točka sa obe strane
- položaj uspravnih krakova može se podesiti pomoću točkića za podešavanje kako bi odgovarao širini osovine
- The caliper arm position can be adjusted to fit the wheel radius and the caliper tip distance can be adjusted to fit the rim width.
- Spring loaded caliper arm and the calipers can be quickly pulled away, automatically springing back to a set position when inserting a new wheel. This enables faster work of

several same size wheels.

- čvrsta osnova za visoku preciznost, duži i redizajnirani kraci omogućavaju veći slobodan prostor i veću preciznost centriranja
- Wide calipers for greater wheel clearance
- podržava glavčine sa through-osovinom širine do 197 mm uz korišćenje adaptera, maksimalni otvor krakova je 230 mm bez adaptera
- novi ležajevi na osovini za podešavanje položaja krakova za nošenje točka su predopterećeni oprugom kako bi se povećala preciznost i smanjila potreba za učestalom rekalibracijom
- Composite caliper tips prevent scratching the rim and are designed to make radial truing easier
- Precision threads and springs for smooth operation 8 mm bench mount holes at the bottom, 268 mm center to center
- Clean, all-black design
- Includes conical magnetic through axle adapters, one size fits all (12, 15 and 20). Adapters can be affixed anywhere on the base and secured to the upright arms with a bolt for a more permanent setup.
- Includes white high gloss stickers for the base and caliper arm, improving background contrast (stickers are not preapplied)

Kompatibilnost:



- Accepts wheels up to 32″ with tire installed
- podržava nable sa punom osovinom, quick-release osovinom i through-osovinom
- nable sa through-osovinom se fiksiraju pomoću adaptera (koji dolaze sa stalkom)
- jedan par adaptera podržava sve postojeće promere thru-osovina






	DT	ET	LL	LT	H	L	L1	
640434	390	40	40	226	525	298	342	8550

* Fotografije proizvoda su simbolične. Sve dimenzije su u mm, a težina u gramima. Sve navedene dimenzije mogu odstupati u granicama tolerancija.

Upotreba (slike)

Povezani proizvodi


Pro Truing stand upgrade set