

# Çelës goditës I hapur

118/7



## Profiles


**Premium** 

## Standards

DIN 133

## Product features

- Materiali: çeliku të veçantë mjet
- rënie të falsifikuara, ngurtësuar tërësisht dhe nevrík
- përfundojë sipërfaqe: antindyshek me shkrirë
- bërë sipas standardit DIN 133






L

B

A



		L	B	A		
620466	24	170	56	15	489	
620467	27	170	56	15	477	
620468	30	200	70	18	863	
620469	32	200	70	18	863	
620470	36	200	70	18	834	
620471	41	240	88	20	1490	
620472	46	240	88	20	1450	
620473	50	265	102	20	1790	
620474	55	305	112	24	2700	
620475	60	305	112	24	2615	
620476	65	335	123	27	3645	
620477	70	370	143	30	2200	
620478	75	370	143	30	4865	
620479	80	400	175	33	6450	
620480	85	400	175	33	5775	
620481	90	450	192	38	7620	
620482	95	450	192	38	9400	
620485	110	515	235	48	12400	
620486	115	515	235	52	15800	
620487	120	535	260	53	20000	Till end of stock
620488	125	535	260	53	19200	Till end of stock
620490	135	565	285	53	23400	Till end of stock
620491	140	635	307	58	28800	
620492	145	635	307	58	28800	
620493	150	635	307	58	28200	

\* Imazhet e produkteve janë simbolike. Të gjitha dimensionet janë në mm, pesha në gram. Të gjitha dimensionet e listuara mund të ndryshojnë në tolerancë.

Usage (pictures)



Photo (pictures)

