

Slogging open end wrench

118/7



Profiles


Premium 

Standards

DIN 133

Product features

- material: premium chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: anticorrosive oiled
- made according to standard DIN 133






L

B

A



| |  | L | B | A |  |  |
|--------|---|-----|-----|------|---|---|
| 620466 | 24 | 180 | 53 | 15 | 317 | |
| 620467 | 27 | 185 | 58 | 16 | 417 | |
| 620468 | 30 | 200 | 66 | 17 | 452 | |
| 620469 | 32 | 200 | 68 | 17 | 513 | |
| 620470 | 36 | 220 | 78 | 19 | 754 | |
| 620471 | 41 | 240 | 90 | 19 | 1000 | |
| 620472 | 46 | 260 | 100 | 20.8 | 1180 | |
| 620473 | 50 | 285 | 110 | 20.8 | 1600 | |
| 620474 | 55 | 315 | 120 | 23.8 | 2086 | |
| 620475 | 60 | 325 | 130 | 23.8 | 2310 | |
| 620476 | 65 | 355 | 142 | 28.5 | 3645 | |
| 620477 | 70 | 380 | 156 | 30.3 | 2200 | |
| 620478 | 75 | 400 | 164 | 30.3 | 4865 | |
| 620479 | 80 | 415 | 175 | 33.3 | 6200 | |
| 620480 | 85 | 415 | 175 | 33.3 | 5775 | |
| 620481 | 90 | 460 | 197 | 38 | 7620 | |
| 620482 | 95 | 460 | 197 | 38 | 8800 | |
| 620486 | 115 | 515 | 235 | 52 | 15800 | |
| 620492 | 145 | 635 | 307 | 58 | 28800 | |
| 620493 | 150 | 635 | 307 | 58 | 28200 | |

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.

Usage (pictures)



Photo (pictures)

