

# Chei fixe de soc

118/7



## Profile


**Premium** 

## Standarde

DIN 133

## Caracteristicile produsului

- material: otel carbon de scule
- forjata, calire si revenire totala
- Acoperire: uleiare anticoroziva
- in concordanta cu standardul DIN 133






L

B

A



|  |  | L   | B   | A  |  |
|--|---|-----|-----|----|---|
| 620466   | 24  | 170 | 56  | 15 | 489   |
| 620467   | 27  | 170 | 56  | 15 | 477   |
| 620468   | 30  | 200 | 70  | 18 | 863   |
| 620469   | 32  | 200 | 70  | 18 | 863   |
| 620470   | 36  | 200 | 70  | 18 | 834   |
| 620471   | 41  | 240 | 88  | 20 | 1490  |
| 620472   | 46  | 240 | 88  | 20 | 1450  |
| 620473   | 50  | 265 | 102 | 20 | 1790  |
| 620474   | 55  | 305 | 112 | 24 | 2700  |
| 620475   | 60  | 305 | 112 | 24 | 2615  |
| 620476   | 65  | 335 | 123 | 27 | 3645  |
| 620477   | 70  | 370 | 143 | 30 | 2200  |
| 620478   | 75  | 370 | 143 | 30 | 4865  |
| 620479   | 80  | 400 | 175 | 33 | 6450  |
| 620480   | 85  | 400 | 175 | 33 | 5775  |
| 620481   | 90  | 450 | 192 | 38 | 7620  |
| 620482   | 95  | 450 | 192 | 38 | 9400  |
| 620485   | 110   | 515 | 235 | 48 | 12400   |
| 620486   | 115   | 515 | 235 | 52 | 15800   |
| 620487   | 120   | 535 | 260 | 53 | 20000   |
| 620488   | 125   | 535 | 260 | 53 | 19200   |
| 620490   | 135   | 565 | 285 | 53 | 23400   |
| 620491   | 140   | 635 | 307 | 58 | 28800   |
| 620492   | 145   | 635 | 307 | 58 | 28800   |
| 620493   | 150   | 635 | 307 | 58 | 28200   |

\* Imaginea produsului este simbolica.Toate dimensiunile sunt exprimate în mm,greutatea în grame.

0 (pictures)



Photo (pictures)

