

Schlag Ringschlüssel

184/7



Profile




Standards

DIN 7444

Produkteigenschaften

- Material: Premium Chrom-Vanadium-Stahl
- geschmiedet, gehärtet und vergütet
- geölt für Langzeitrostschutz
- gefertigt laut Standard DIN 7444 (nur metrische Dim.)



620494



24

L

180

B

48.6

A

16



534









L

B

A



| | | | | | | |
|--------|---------|-----|------|----|-------|-------------------|
| 620495 | 27 | 180 | 48.6 | 16 | 514 | |
| 620496 | 30 | 180 | 48.6 | 16 | 488 | |
| 620497 | 32 | 190 | 58.4 | 18 | 739 | |
| 620498 | 36 | 190 | 58.4 | 18 | 694 | |
| 620499 | 41 | 235 | 74 | 22 | 1425 | |
| 620500 | 46 | 235 | 74 | 22 | 1360 | |
| 620501 | 50 | 235 | 74 | 22 | 1272 | |
| 620502 | 55 | 275 | 97.6 | 27 | 2800 | |
| 620503 | 60 | 275 | 97.6 | 27 | 2710 | |
| 620504 | 65 | 275 | 97.6 | 27 | 2580 | |
| 620505 | 70 | 335 | 117 | 35 | 4685 | |
| 620506 | 75 | 335 | 117 | 35 | 4570 | |
| 620507 | 80 | 350 | 124 | 35 | 4305 | |
| 620508 | 85 | 358 | 130 | 39 | 4220 | |
| 620509 | 90 | 395 | 144 | 41 | 5335 | |
| 620510 | 95 | 395 | 144 | 39 | 5090 | |
| 620511 | 100 | 420 | 155 | 43 | 6800 | |
| 620512 | 105 | 420 | 155 | 42 | 5930 | |
| 620513 | 110 | 451 | 170 | 46 | 8200 | Till end of stock |
| 620515 | 120 | 500 | 190 | 52 | 11400 | Till end of stock |
| 620516 | 125 | 500 | 190 | 53 | 10800 | Till end of stock |
| 620518 | 135 | 520 | 200 | 60 | 13800 | Till end of stock |
| 620519 | 140 | 574 | 220 | 61 | 17000 | Till end of stock |
| 620520 | 145 | 574 | 220 | 60 | 16600 | Till end of stock |
| 620521 | 150 | 574 | 220 | 61 | 17000 | Till end of stock |
| 620522 | 1.1/16" | 180 | 49 | 16 | 512 | Till end of stock |
| 620523 | 1.1/8" | 180 | 49 | 16 | 511 | Till end of stock |
| 620525 | 1.1/4" | 190 | 58 | 18 | 740 | Till end of stock |
| 620526 | 1.5/16" | 190 | 58 | 18 | 708 | Till end of stock |

|  |  | L | B | A |  |  |
|---|--|-----|-----|------|--|--|
| 620527 | 1.3/8" | 190 | 58 | 18 | 700 | Till end of stock |
| 620528 | 1.7/16" | 190 | 58 | 18 | 687 | Till end of stock |
| 620529 | 1.1/2" | 235 | 74 | 22 | 1470 | Till end of stock |
| 620530 | 1.5/8" | 235 | 74 | 22 | 1425 | Till end of stock |
| 620531 | 1.11/16" | 235 | 74 | 22 | 1440 | Till end of stock |
| 620533 | 1.13/16" | 235 | 74 | 22 | 1360 | Till end of stock |
| 620534 | 1.7/8" | 235 | 74 | 22 | 1350 | Till end of stock |
| 620535 | 2" | 235 | 74 | 22 | 1335 | Till end of stock |
| 620536 | 2.1/16" | 275 | 98 | 27 | 2831 | Till end of stock |
| 620537 | 2.1/8" | 275 | 98 | 27 | 2840 | Till end of stock |
| 620538 | 2.3/16" | 275 | 98 | 27 | 2800 | Till end of stock |
| 620539 | 2.1/4" | 275 | 98 | 27 | 2730 | Till end of stock |
| 620541 | 2.3/8" | 275 | 98 | 27 | 2710 | Till end of stock |
| 620542 | 2.1/2" | 275 | 98 | 27 | 2580 | Till end of stock |
| 620543 | 2.9/16" | 275 | 98 | 27 | 2580 | Till end of stock |
| 620544 | 2.5/8" | 335 | 117 | 28.5 | 4685 | Till end of stock |
| 620545 | 2.3/4" | 335 | 117 | 35 | 4685 | Till end of stock |
| 620546 | 2.15/16" | 335 | 117 | 35 | 4520 | Till end of stock |
| 620547 | 3" | 335 | 117 | 35 | 4570 | Till end of stock |
| 620548 | 3.1/8" | 350 | 124 | 35 | 4305 | Till end of stock |

* Bilder von Produkten sind Symbolfotos. Abmessungen sind in mm, Gewichte in Gramm.

Foto (Bilder)

