


Seegerringtang, vorm B, gebogen, buiten

534/1P



Profielen



Product attributen


- materiaal: premium plus carbonstaal
- drop forged, entirely hardened and tempered
- kop gepolijst
- surface finish: chrome plated to standard ISO 1456:2009
- tips black finish
- made according to standard DIN 5254 form B
- handles plastic dipped

Voordelen:

- 30% higher endurance in comparison to convenient lock rings pliers
- with inserted tips
- dimension 300mm with standard tips
- for diameter 3 to 100mm

Gebruik:



- for fitting circlips on shafts




			L	D	C	
621195	140	3 - 10	128	0.9	28	134
621196	140	10 - 25	128	1.3	28	124
621197	180	19 - 60	166	1.8	38	204
621198	220	40 - 100	201	2.3	48	274
616737	300	85 - 140	280	3.2	68	502

* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.

Gebruik (Afbeeldingen)



Tips hardened to 58 HRC prevent bending or breaking during the removal or insertion of circlips



The tips are inserted into the jaw at an angle that prevents the circlip from sliding off the tips

Gerelateerde producten



Seegerringtang, vorm A, recht, buiten



Seegerringtang, vorm C, recht, binnen



Seegerringtang, vorm D, gebogen, binnen

