


# Kliješta seger, unutarnja ravna

536/1P



## Profili



## Atributi proizvoda


- materijal: Premium Plus specijalni alatni čelik
- kovana, potpuno poboljšana i ojačana
- čeljusti polirane
- površina kromirana ISO 1456:2009
- vrhovi brunirani
- drške obložene duplim slojem plastike
- izrađena prema standardu DIN 5256 oblik C




## Prednosti:

- 30% veća izdržljivost u poređenju sa uobičajenim seger kliještima
- sa ugrađenim vrhovima
- dimension 300mm with standard tips
- za promjere od 8 do 100 mm

## Upotreba:




- za montažu seger prstenova u unutrašnjost otvora osovine




	L		D	C	
621203	140	8 - 13	0.9	40	111
621204	140	12 - 25	1.3	40	115
621205	180	19 - 60	1.8	52	192
621206	220	40 - 100	2.2	63	251
616740	300	85 - 140	3.2	86	491

\* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.

## Upotreba (pictures)



vrhovi su kaljeni do tvrdoće od 58 HRC da bi se spriječilo savijanje ili lom vrhova pri montaži ili demontaži seger prstenova



vrhovi su umetnuti u čeljusti kliješta pod kutem koji spriječava da seger prsten sklizne sa njih

## Related products

 Kliješta seger, vanjska, ravna

 Kliješta seger, vansjka savijena



Kliješta seger, unutarnja kosa