


Seegerringtang, vorm C, recht, binnen

536/1P



Profielen



Product attributen


- materiaal: premium plus carbonstaal
- drop forged, entirely hardened and tempered
- kop gepolijst
- surface finish: trivalent chrome plated according to ISO 1456:2009
- tips black finish
- double plastic dipped handles
- made according to standard DIN 5256 form C




Voordelen:

- 30% higher endurance in comparison to convenient lock rings pliers
- with inserted tips
- afmeting 300mm met standaard tips
- for diameter 8 to 100mm

Gebruik:




- for fitting circlips on bore holes




	L		D	C	
621203	140	8 - 13	0.9	40	111
621204	140	12 - 25	1.3	40	115
621205	180	19 - 60	1.8	52	192
621206	220	40 - 100	2.2	63	251
616740	300	85 - 140	3.2	86	491

* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.

Gebruik (Afbeeldingen)





Punten gehard tot 58 HRC voorkomen buigen of breken tijdens het verwijderen of plaatsen van borgringen



De punten worden onder een hoek in de bek geplaatst, waardoor de borgring niet van de punten af kan glijden

Gerelateerde producten

 Seegerringtang, vorm A, recht, buiten

 Seegerringtang, vorm B, gebogen, buiten



Seegerringtang, vorm D, gebogen, binnen