

## Set moersleutels in SOS gereedschapsbakje

964/28SOS



Profielen



## Product attributen

- The usability of the 964/28SOS 621387 set is underscored by its thoughtful design and practical layout within the SOS tool tray. Each wrench is securely placed in its designated spot, allowing for easy identification and quick access during tasks. This organization minimizes the time spent searching for tools, enhancing efficiency in workshop environments. The wrenches themselves feature ergonomic form and precise machining, offering users a comfortable grip and reliable performance under demanding conditions. This product is primarily aimed at professional mechanics, automotive technicians, and hobbyists who require a dependable set of wrenches for daily use.
- Tool tray dimension: 564 x 364 x 30 mm
- Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

De set bestaat uit:

12x open end wrench (article 110/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32


- 18x long combination wrench (article 120/1) dim. 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27
- 12x ring wrench (article 180/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32
- 9x ball-end hex wrench (article 220/3S) dim. 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 on plastic clip
- 9x wrench with TX profile and hole (article 220/7TX) dim. TR 8, TR 9, TR 10, TR 15, TR 20, TR 25, TR 27, TR 30, TR 40 on plastic clip

SOS tool trays - advantages:

- material: low density polyethylene foam
- The tool trays are made from foamed polyethylene, which is resistant to grease, petrol, oil, nitro diluents, adhesives and motor oil all of which can easily be removed without leaving any visible residue (stains). Adhesives and motor oil need to be removed immediately by cleaning with petrol in order to avoid permanent staining.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

Waarom voor Unior kiezen:

• Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



| Productnaam                                  | SKU         | Artikel   | Afmetingen  | Hoeveelheid |
|--|-------------|-----------|---|-------------|
| Set moersleutels in SOS<br>gereedschapsbakje | 621387      | 964/28SOS | -   | 60          |
| Platte moersleutel verchroomd en gepolijst   | £<br>السلام | 110/1     | 6 x 7, 8 x 9, 10 x 11, 12 x 13,<br>14 x 15, 16 x 17, 18 x 19, 20<br>x 22, 21 x 23, 24 x 27, 25 x<br>28, 30 x 32 | 12          |
| Steekringsleutel, lang                       | 2000        | 120/1     | 6, 7, 8, 9, 10, 11, 13, 14, 15,<br>16, 17, 18, 19, 20, 21, 22, 24,<br>27  | 18          |

| Productnaam  | SKU | Artikel     | Afmetingen  | Hoeveelheid |
|--|-----|-------------|---|-------------|
| Steeksleutel   | 00  | 180/1       | 6 x 7, 8 x 9, 10 x 11, 12 x 13,<br>14 x 15, 16 x 17, 18 x 19, 20<br>x 22, 21 x 23, 24 x 26, 25 x<br>28, 27 x 32 | 12          |
| Set of ball-end hex wrenches on plastic clip             |     | 220/3SPH    |   | 1           |
| Set of wrenches with TX profile and hole in plastic clip |     | 220/7TXPH   | TR8 - TR40x9  | 1           |
| SOS tool tray for 964/28SOS                              |     | vl964/28SOS | 564x364x30  | 1           |

\* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm, en het gewicht in grammen. Alle vermelde afmetingen kunnen variëren in tolerantie.