

Garnitura nasadnih ključeva s priborom u SOS ulošku

964/30SOS



Profilii



Atributi proizvoda

- Ideal for automotive maintenance, machinery repair, and general mechanical tasks, the 964/30SOS - 621389 Set of Socket Wrenches offers versatility and reliability. The sockets come in various sizes to accommodate different bolt heads, while the included accessories such as extensions and adapters enhance the set's functionality. The SOS tool tray ensures that each tool is securely held in place, preventing loss or disorganization during transport or use. This set is tailored for professionals who demand precision and durability in their tools.
- Dimenzija uloška: 564 x 364 x 30 mm
- Za Eurostyle, Eurovision, Euromotion, Europlus i Hercules ladice za kolica (prednje ladice)

Set sadrži:

- 12x ključ nasadni, prihvati 1/4" 6-kutni, 12 kotni (artikal 188/2 12P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- 7x nasadni ključ 1/4" s unutarnjim TX profilom (artikal 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- 19x ključ nasadni 1/4"; imbus (artikal 187/2HX dim. 3, 4, 5, 6, 7), TX profil (artikal 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), križni (artikal 187/2PH dim. PH 1, PH 2, PH 3), plosnati (artikal 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)


- 1x račna dvosmjerna, prihvatz 1/4"
- pribor 1/4"; 1x ručka sa zglobom, 1x T ručka, 2x nastavak (55, 150mm), 1x kardanski zglob, 1x adapter (1/4"-3/8")
- 1x odvijač s nastavkom 1/4"
- 17x ključ nasadni, prihvatz 3/8" 6-kutni (artikal 238/1 6P) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- 1x račna dvosmjerna, prihvatz 3/8"
- pribor 3/8"; 1x ručica sa zglobom, 1x T-ručka, 2x produžetak (125, 250mm), 1x kardanski zglob, 1x adapter (3/8 - 1/2")
- 18x ključ nasadni, prihvatz 1/2" 6-kutni (artikal 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 1x račna dvosmjerna, prihvatz 1/2"
- pribor 1/2"; 1x ručica sa zglobom, 1x T-ručka, 2x produžetak (125, 250mm), 1x kardanski zglob

SOS ulošci za alat - prednosti:

- Materijal: polietilenska pjena niske gustoće
- SOS ulošci za alat izrađeni su od dvoslojne poliuretanske pjene, otporne na maziva, benzin, ulja, nitro razrjeđivače, ljeplila i motorna ulja - sve ovo može se jednostavno ukloniti bez ikakvih vidljivih ostataka ili mrlja. Ljeplila i motorna ulja moraju se odmah ukloniti čišćenjem benzinom kako bi se izbjegle trajne mrlje. Ovi ulošci za alat su otporni u uobičajenim uvjetima te ne mjenjaju oblik sve do temperature od 80 °C.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

Why Choose Unior:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



Naziv proizvoda	SKU	Članak	Standardi	Količina
Garnitura nasadnih ključeva s priborom u SOS ulošku	621389	964/30SOS	-	96
Ključ nasadni, prihvatz 1/4" 6-kutni		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	12

Naziv proizvoda	SKU	Članak	Standardi	Količina
Ključ nasadni s unutarnjim TX profilom, prihvata 1/4"		189/2	E 4, E 5, E 6, E 7, E 8, E 10, E 11	7
Ključ nasadni imbus, prihvata 1/4"		187/2HX	3, 4, 5, 6, 7	5
Ključ nasadni TX, prihvata 1/4"		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Ključ nasadni plosnati, prihvata 1/4"		187/2SL	0.8 x 4, 1,0 x 5,5, 1,2 x 7	3
Ključ nasadni, križni, PH, prihvata 1/4"		187/2PH	PH 1, PH 2, PH 3	3
Račna dvosmjerna, prihvata 1/4"		188.1/1ABI	1/4"	1
Ručica sa zglobom, prihvata 1/4"		188.2/2BI	1/4"	1
T-ručka, prihvata 1/4"		188.3/2	1/4"	1
Produžetak, prihvata 1/4"		188.4/2	1/4"x55, 1/4"x150	2
Kardanski zglob, prihvata 1/4"		188.6/2	1/4"	1
Adapter, prihvata 1/4"		188.7/2	1/4" - 3/8"	1
Odvijač s nastavkom 1/4"		188.8	1/4"	1
Ključ nasadni, prihvata 3/8"		238/1 6p	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	17
Račna dvosmjerna, zglobna, prihvata 3/8"		238.1/1FBI	3/8"	1
Ručica sa zglobom, prihvata 3/8"		238.2/1BI	3/8"	1
T-ručica, prihvata 3/8"		238.3/1	3/8"	1
Produžetak, prihvata 3/8"		238.4/2	3/8"x45, 3/8"x75	2
Produžetak, prihvata 3/8"		238.4/1	3/8"x125, 3/8"x250	2
Zglob kardanski, prihvata 3/8"		238.6/1	3/8"	1
Adapter, prihvata 3/8"		238.7/1	3/8" - 1/2"	1
Ključ nasadni, prihvata 1/2"		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
Račna dvosmjerna, prihvata 1/2"		190.1/1ABI	1/2"	1
Ručica sa zglobom, prihvata 1/2"		190.2/1BI	1/2"x380	1
T-ručica, prihvata 1/2"		190.3/1	1/2"	1
Produžetak, prihvata 1/2"		190.4/1	1/2"x250, 1/2"x125	2
Zglob kardanski, prihvata 1/2"		190.6/2	1/2"	1

Naziv proizvoda

SKU

Članak

Standardi

Količina

SOS uložak za art. 964/30SOS

vl964/30SOS 564x364x30

1

* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.