

Serie di chiavi a bussola con accessori in vassoio portautensili SOS

964/30SOS



Profili




Attributi del prodotto

- Ideal for automotive maintenance, machinery repair, and general mechanical tasks, the 964/30SOS - 621389 Set of Socket Wrenches offers versatility and reliability. The sockets come in various sizes to accommodate different bolt heads, while the included accessories such as extensions and adapters enhance the set's functionality. The SOS tool tray ensures that each tool is securely held in place, preventing loss or disorganization during transport or use. This set is tailored for professionals who demand precision and durability in their tools.
- Dimensioni vassoio portautensili: 564 x 364 x 30 mm
- Compatibile con cassette della linea Eurostyle, Eurovision, Euromotion, Europlus ed Hercules (cassetti frontali)

Incluso:

- 12x bussola 1/4", 6 punti (articoli 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- 7x bussola con profilo interno TX 1/4" (articoli 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- 19x bussola giraviti 1/4"; esagonale (articoli 187/2HX dim. 3, 4, 5, 6, 7), profilo TX (articoli 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), croce (articoli 187/2PH dim. PH 1, PH 2, PH 3), viti (articoli 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)

- 1x cricchetto reversibile da 1/4"
- accessori da 1/4"; -3 impugnatura girevole, 1 impugnatura a T scorrevole, 8 prolunghe (55, 150 mm), 1 giunto universale, 1 adattatore (1/4" - 3/8")
- 1 impugnatura a ogiva da 1/4"
- 17x bussola 3/8", 6 punti (articoli 238/1 6P) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- 1 cricchetto reversibile da 3/8"
- accessori da 3/8"; 1 impugnatura girevole, 1 impugnatura a T scorrevole, 2 prolunghe (125, 250 mm), 1 giunto universale, 1 adattatore (3/8 - 1/2")
- 18x bussola 1/2", 6 punti (articoli 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 1 cricchetto reversibile da 1/2"
- accessori da 1/2"; 1 impugnatura girevole, 1 impugnatura a T scorrevole, 2 prolunghe (125, 250 mm), 1 giunto universale



Nome prodotto	SKU	Articolo	Dimensioni	Quantità
Serie di chiavi a bussola con accessori in vassoio portautensili SOS	621389	964/30SOS	-	96
Bussola da 1/4", 6 punti		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	12
Bussola con profilo interno TX 1/4"		189/2	E 4, E 5, E 6, E 7, E 8, E 10, E 11	7
Chiave esagonale da 1/4"		187/2HX	3, 4, 5, 6, 7	5
Bussola giraviti con profilo TX 1/4"		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Bussola giraviti per viti con intaglio 1/4"		187/2SL	0.8 x 4, 1,0 x 5,5, 1,2 x 7	3
Bussola giraviti a croce 1/4"		187/2PH	PH 1, PH 2, PH 3	3
Cricchetto reversibile 1/4"		188.1/1ABI	1/4"	1
Impugnatura snodata 1/4"		188.2/2BI	1/4"	1
Impugnatura a T scorrevole 1/4"		188.3/2	1/4"	1
Barra di estensione 1/4"		188.4/2	1/4"x55, 1/4"x150	2
Giunto universale 1/4"		188.6/2	1/4"	1
Adattatore 1/4"		188.7/2	1/4" - 3/8"	1

Nome prodotto	SKU	Articolo	Dimensioni	Quantità
Impugnatura a ogiva 1/4"		188.8	1/4"	1
Bussola esagonale da 3/8"		238/1 6p	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	17
Cricchetto reversibile flessibile 3/8"		238.1/1FBI	3/8"	1
Impugnatura snodata 3/8"		238.2/1BI	3/8"	1
Manico a T scorrevole, da 3/8"		238.3/1	3/8"	1
Prolunga 3/8"		238.4/2	3/8"x45, 3/8"x75	2
Barra di estensione 3/8"		238.4/1	3/8"x125, 3/8"x250	2
Giunto universale 3/8"		238.6/1	3/8"	1
Adattatore 3/8"		238.7/1	3/8" - 1/2"	1
Bussola esagonale da 1/2"		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
Cricchetto reversibile 1/2"		190.1/1ABI	1/2"	1
Impugnatura snodata 1/2"		190.2/1BI	1/2"x380	1
Manico a T scorrevole, da 1/2"		190.3/1	1/2"	1
Barra di estensione 1/2"		190.4/1	1/2"x250, 1/2"x125	2
Giunto universale 1/2"		190.6/2	1/2"	1
Vassoio portautensili SOS per 964/30SOS		v1964/30SOS	564x364x30	1

* Le immagini dei prodotti sono puramente simboliche. Tutte le dimensioni sono in mm, peso in grammi.