

Гарнитура насадни клучеви со додатоци во SOS влошка за алат

964/30SOS



Profiles



Product features

- Ideal for automotive maintenance, machinery repair, and general mechanical tasks, the 964/30SOS - 621389 Set of Socket Wrenches offers versatility and reliability. The sockets come in various sizes to accommodate different bolt heads, while the included accessories such as extensions and adapters enhance the set's functionality. The SOS tool tray ensures that each tool is securely held in place, preventing loss or disorganization during transport or use. This set is tailored for professionals who demand precision and durability in their tools.
- Димензија на влошката : 564 x 364 x 30 mm
- Компатибилни со фиоките на Eurostyle, Eurovision, Euromotion, Europlus и Hercules (предните фиоки)

Гарнитурата вклучува:

- 12 x насаден клуч 1/4" , 6 аголен (188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- 7x насаден клуч 1/4" со внатрешен TX профил (артикл 189/2) димензии E4, E5, E6, E7, E8, E10, E11
- 19x насаден клуч инбус прихват (артикл 187/2НХ дим.3,4,5,6,7,) TX профилен (артикл 187/2ТХ димензии T5, TX20, TX25, TX27, TX30, TX40) насаден клуч крстач прихват (артикл 187/2PH

димензии PH 1, PH 2, PH 3) рамен (артикл 187/2SL димензии 0.8x4, 1,0x5,5, 1,2x7)


- 1 x Двонасочна крцкалка 1/4"
- додатоци 1/4" : 1x вртлива рачка, 1x лизгачка Т-рачка, 2 x продолжена шипка (50,150мм) , 1x универзална спојка, 1x адаптер (1/4"-3/8")
- 1 x вртлива рачка 1/4"
- 17 x насаден клуч 3/8" , 6 аголен (238/1 6P) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- 1 x Двонасочна крцкалка 3/8"
- додатоци 3/8" : 1x вртлива рачка, 1x лизгачка Т-рачка, 2 x продолжена шипка (125,250мм) , 1x универзална спојка, 1x адаптер (3/8-1/2")
- 18 x насаден клуч 1/2" , 6 аголен (190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 1 x Двонасочна крцкалка 1/2"
- додатоци 1/2" : 1x вртлива рачка, 1x лизгачка Т-рачка, 2 x продолжена шипка (125,250мм) , 1x универзална спојка

Предности на SOS влошки за алат:

- материјал: полиетиленска пена со мала густина
- SOS влошките за алат се изработени од двојно обложена полиетиленска пена, која е отпорна на масло, бензин, нитро разредувачи, лепила и моторно масло - се ова може да се отстрани без да се остават видливи fleки (остатоци). Лепилата и моторното масло треба веднаш да се отстранат со чистење со бензин за да се избегне трајна fleкавост.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

Зошто да изберете Униор:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



Product name	SKU	Article	Dimensions	Quantity
Гарнитура насадни клучеви со додатоци во SOS влошка за алат	621389	964/30SOS	-	96

Product name	SKU	Article	Dimensions	Quantity
Насаден клуч прихват 1/4", 6 аголен		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	12
Насаден клуч со внатрешен TX профил 1/4"		189/2	E 4, E 5, E 6, E 7, E 8, E 10, E 11	7
Насаден клуч инбус прихват 1/4"		187/2HX	3, 4, 5, 6, 7	5
Насаден клуч со TX профил прихват 1/4"		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Насаден клуч плоснат 1/4"		187/2SL	0.8 x 4, 1,0 x 5,5, 1,2 x 7	3
Насаден клуч крстач прихват 1/4"		187/2PH	PH 1, PH 2, PH 3	3
Двонасочна крцкалка 1/4"		188.1/1ABI	1/4"	1
Рачка со зглоб 1/4"		188.2/2BI	1/4"	1
T рачка 1/4"		188.3/2	1/4"	1
Продолжеток 1/4", долг		188.4/2	1/4"x55, 1/4"x150	2
Кардански зглоб 1/4"		188.6/2	1/4"	1
Адаптер 1/4"		188.7/2	1/4" - 3/8"	1
Продолжеток-одвртка со рачка 1/4"		188.8	1/4"	1
Насаден клуч со приклучок од 3/8"		238/1 6p	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	17
Флексибилна двосмерна крцкалка 3/8"		238.1/1FBI	3/8"	1
Рачка со зглоб 3/8"		238.2/1BI	3/8"	1
T-рачка 3/8"		238.3/1	3/8"	1
Продолжеток 3/8", долг		238.4/2	3/8"x45, 3/8"x75	2
Продолжеток 3/8", долг		238.4/1	3/8"x125, 3/8"x250	2
Кардански зглоб 3/8"		238.6/1	3/8"	1
Адаптер 3/8"		238.7/1	3/8" - 1/2"	1
Насаден клуч прихват 1/2"		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
Двосмерна крцкалка 1/2"		190.1/1ABI	1/2"	1
Рачка со зглоб 1/2"		190.2/1BI	1/2"x380	1
T Рачка - 1/2"		190.3/1	1/2"	1

Product name	SKU	Article	Dimensions	Quantity
Продолжеток 1/2", долг		190.4/1	1/2"x250, 1/2"x125	2
Кардански зглоб од 1/2		190.6/2	1/2"	1
SOS влошка за 964/30 SOS		v1964/30SOS	564x364x30	1

* Сликите на производите се симболични. Сите димензии се во мм, тежината е во грамови. Сите наведени димензии може да се разликуваат во ниво на толеранција