

Zestaw kluczy nasadowych z akcesoriami we wkładce SOS

964/30SOS



Profile




Cechy produktu













- Ideal for automotive maintenance, machinery repair, and general mechanical tasks, the 964/30SOS - 621389 Set of Socket Wrenches offers versatility and reliability. The sockets come in various sizes to accommodate different bolt heads, while the included accessories such as extensions and adapters enhance the set's functionality. The SOS tool tray ensures that each tool is securely held in place, preventing loss or disorganization during transport or use. This set is tailored for professionals who demand precision and durability in their tools.
- Wkładka narzędziowa: 564 x 364 x 30 mm
- Kompatybilna z szufladami z linii Eurostyle, Eurovision, Europlus i Hercules (szuflady przednie)
















Zestaw zawiera:

- 12x nasadka 1/4", 6-kątna (art. 188/2 6P) rozm. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- 7x nasadka 1/4" with wewnętrznym profilem TX (art. 189/2) rozm. E4, E5, E6, E7, E8, E10, E11
- 19x nasadki wkrętakowe 1/4"; imbus (art. 187/2HX rozm. 3, 4, 5, 6, 7), profil TX (art. 187/2TX rozm. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), krzyżakowe (art. 187/2PH rozm. PH 1, PH 2, PH 3), płaskie (art. 187/2SL rozm. 0.8x4, 1,0x5,5, 1,2x7)
- 1x grzechotka 1/4"

- akcesoria 1/4"; 1x rękojeść obrotowa, 1x przesuwna T - rękojeść, 2x przedłużka (55, 150mm), 1x przegub uniwersalny, 1x adapter (1/4"-3/8")
- 1x pokrętło 1/4"
- 17x nasadka 3/8", 6 kątna (art. 238/1 6P) rozm. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- 1x grzechotka 3/8"
- akcesoria 3/8"; 1x pokrętło przegubowe , 1x pokrętło T , 2x przedłużka (125, 250mm), 1x przegub, 1x adapter (3/8 - 1/2")
- 18x nasadka 1/2", 6 kątna (art. 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 1x grzechotka 1/2"
- akcesoria 1/2"; 1x pokrętło przegubowe, 1x pokrętło T , 2x przedłużka (125, 250mm), 1x przegub



Nazwa produktu	SKU	Artykuł	Wymiary	Ilość
Zestaw kluczy nasadowych z akcesoriami we wkładce SOS	621389	964/30SOS	-	96
Nasadka 1/4"		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	12
Nasadka 1/4" z wewnętrznym profilem TX		189/2	E 4, E 5, E 6, E 7, E 8, E 10, E 11	7
Nasadka wkrętakowa 1/4", imbus		187/2HX	3, 4, 5, 6, 7	5
Nasadka wkrętakowa 1/4" o profilu TX		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Nasadka wkrętakowa 1/4" płaska		187/2SL	0.8 x 4, 1.0 x 5.5, 1.2 x 7	3
Nasadka wkrętakowa 1/4" krzyżakowa PH		187/2PH	PH 1, PH 2, PH 3	3
Grzechotka 1/4"		188.1/1ABI	1/4"	1
Pokrętło 1/4" przegubowe		188.2/2BI	1/4"	1
Pokrętło 1/4" z przesuwym zabierakiem typu T		188.3/2	1/4"	1
Przedłużka 1/4"		188.4/2	1/4"x55, 1/4"x150	2
Przegub 1/4"		188.6/2	1/4"	1
Adapter 1/4"		188.7/2	1/4" - 3/8"	1

Nazwa produktu	SKU	Artykuł	Wymiary	Ilość
Pokrętko 1/4"		188.8	1/4"	1
Nasadka 3/8"		238/1 6p	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	17
Grzechotka 3/8" przegubowa		238.1/1FBI	3/8"	1
Uchwyt przegubowy 3/8"		238.2/1BI	3/8"	1
Pokrętko 3/8", z przesuwным zabierakiem typu T		238.3/1	3/8"	1
Przedłużka 3/8"		238.4/2	3/8"x45, 3/8"x75	2
Przedłużka 3/8"		238.4/1	3/8"x125, 3/8"x250	2
Przegub 3/8"		238.6/1	3/8"	1
Adapter 3/8"		238.7/1	3/8" - 1/2"	1
Nasadka 1/2"		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
Grzechotka 1/2"		190.1/1ABI	1/2"	1
Pokrętko z przegubem 1/2"		190.2/1BI	1/2"x380	1
Pokrętko 1/2" z przesuwным zabierakiem typu T		190.3/1	1/2"	1
Przedłużka 1/2"		190.4/1	1/2"x250, 1/2"x125	2
Przegub 1/2"		190.6/2	1/2"	1
Wkładka SOS do 964/30SOS		vI964/30SOS	564x364x30	1

* Przedstawiony wygląd produktu jest orientacyjny. Wszystkie wymiary są w mm, podana waga w gramach