

Garnitura nasadnih ključeva sa priborom u SOS ulošku

964/30SOS



Profilii



Opis proizvoda

- Ideal for automotive maintenance, machinery repair, and general mechanical tasks, the 964/30SOS - 621389 Set of Socket Wrenches offers versatility and reliability. The sockets come in various sizes to accommodate different bolt heads, while the included accessories such as extensions and adapters enhance the set's functionality. The SOS tool tray ensures that each tool is securely held in place, preventing loss or disorganization during transport or use. This set is tailored for professionals who demand precision and durability in their tools.
- Dimenzije uloška 564x364x30 mm
- Odgovara fiokama kolica iz serija Eurostyle, Eurovision, Euromotion, Europlus i Hercules (sa prednjim fiokama)

Sadržaj:

- 12 kom. šestougaonih nasadnih ključeva 1/4" (art. 188/2 6p), dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 7 kom. nasadnih ključeva 1/4" sa unutrašnjim TORX profilom (art. 189/2), dim. E4, E5, E6, E7, E8, E10, E11


- 19 kom. nastavaka 1/4"; imbus (art. 187/2HX dim. 3, 4, 5, 6, 7 mm), TORX (art 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), krstastih (art 187/2PH dim. PH 1, PH 2, PH 3), pljosnatih (art 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- 1 kom. dvosmerne čegrtaljke 1/4"
- pribor 1/4": ručica sa zglobom, T-ručka, nastavci 55 i 150 mm, kardanski zglob, adapter 1/4-3/8"
- 1 kom. odvijača sa spolnjim i unutrašnjim prihvatom 1/4"
- 17 kom. šestougaonih nasadnih ključeva 3/8" (art. 238/1 6p), dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
- 1 kom. dvosmerne čegrtaljke 3/8"
- pribor: ručka sa zglobom, T-ručka, nastavci 125 i 250 mm, kardanski zglob i adapter 3/8-1/2"
- 18 kom. šestougaonih nasadnih ključeva 1/2" (art. 190/1 6p), dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- 1 kom. dvosmerne čegrtaljke 1/2"
- pribor 1/2": ručka sa zglobom, T-ručka, nastavci 125 i 250 mm, kardanski zglob

SOS ulošci za alat - prednosti:

- materijal: meka polietilenska pena
- SOS ulošci za alat izrađeni su od dvoslojne polietilenske pene, otporne na maziva, benzin, ulja, nitro razređivače, lepkove i motorno ulje - sve ovo se može lako ukloniti bez ostataka bilo kakvih vidljivih mrlja. Lepkovi i motorna ulja moraju se odmah ukloniti čišćenjem benzином kako bi se izbegla trajna promena boje. Ovi ulošci za alat su dosta otporni u uobičajenim uslovima i ne menjaju oblik sve do temperature od 80 °C.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

Zašto odabratи UNIOR:

- Unior je priznati brend u sektoru industrije, poznat po svojoj posvećenosti kvalitetu i inovacijama. Sa svojim izuzetnim nasleđem, Unior alati su proizvedeni sa namerom da zadovolje najviše standarde i obezbede pouzdanost i vrhunske performanse



Naziv proizvoda	SKU	Artikal	Dimenzije	Količina
Garnitura nasadnih ključeva sa priborom u SOS ulošku	621389	964/30SOS	-	96

Naziv proizvoda	SKU	Artikal	Dimenzije	Količina
Ključ nasadni, prihvata 1/4"		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	12
Ključ nasadni sa unutrašnjim TX profilom, prihvata 1/4"		189/2	E 4, E 5, E 6, E 7, E 8, E 10, E 11	7
Ključ nasadni imbus, prihvata 1/4"		187/2HX	3, 4, 5, 6, 7	5
Ključ nasadni sa TX - Toreks profilom, prihvata 1/4"		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Ključ nasadni sa pljosnatim vrhom, prihvata 1/4"		187/2SL	0.8 x 4, 1.0 x 5.5, 1.2 x 7	3
Ključ nasadni krstasti, PH profil, prihvata 1/4"		187/2PH	PH 1, PH 2, PH 3	3
Čegrtaljka dvosmerna, prihvata 1/4"		188.1/1ABI	1/4"	1
Ručica sa zglobom, prihvata 1/4"		188.2/2BI	1/4"	1
T-ručka, prihvata 1/4"		188.3/2	1/4"	1
Nastavak dugi, prihvata 1/4"		188.4/2	1/4"x55, 1/4"x150	2
Zglob kardanski, prihvata 1/4"		188.6/2	1/4"	1
Adapter, prihvata 1/4"		188.7/2	1/4" - 3/8"	1
Nastavak sa odvijačem drškom, prihvata 1/4"		188.8	1/4"	1
Ključ nasadni, prihvata 3/8"		238/1 6p	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	17
Čegrtaljka dvosmerna, savitljiva, prihvata 3/8"		238.1/1FBI	3/8"	1
Ručica za zglobom, prihvata 3/8"		238.2/1BI	3/8"	1
T-ručka, prihvata 3/8"		238.3/1	3/8"	1
Nastavak, prihvata 3/8"		238.4/2	3/8"x45, 3/8"x75	2
Nastavak dugi, prihvata 3/8"		238.4/1	3/8"x125, 3/8"x250	2
Zglob kardanski, prihvata 3/8"		238.6/1	3/8"	1
Adapter, prihvata 3/8"		238.7/1	3/8" - 1/2"	1
Ključ nasadni, prihvata 1/2"		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
Čegrtaljka dvosmerna, prihvata 1/2"		190.1/1ABI	1/2"	1

Naziv proizvoda	SKU	Artikal	Dimenzije	Količina
Ručica sa zgloboom, prihvat 1/2"		190.2/1BI	1/2"x380	1
T-ručica, prihvat 1/2"		190.3/1	1/2"	1
Nastavak, prihvat 1/2"		190.4/1	1/2"x250, 1/2"x125	2
Zglob kardanski, prihvat 1/2"		190.6/2	1/2"	1
SOS uložak za garnituru nasadnih ključeva 964/30SOS		vl964/30SOS	564x364x30	1

* Fotografije proizvoda su simbolične. Sve dimenzije su u mm, a težina u gramima. Sve navedene dimenzije mogu odstupati u granicama tolerancija.