

# Garnitura nasadnih ključeva 1/2" s priborom i sjekačima u SOS ulošku

964/31SOS



## Profili



## Atributi proizvoda

- Dimenzija uloška: 564 x 364 x 30 mm
- Za Eurostyle, Eurovision, Euromotion, Europlus i Hercules ladice za kolica (prednje ladice)

## Set sadrži:

- 1x torque wrench (article 263) dim. 1/2"/40-200 Nm
- 9x ključ nasadni 1/2", s TX profilom (artikal 192/2TX) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- 9x ključ nasadni s TX profilom, dugi, prihvat 1/2" (artikal 192/2TXL) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- 9x ključ nasadni s unutarnjim TX profilom, prihvat 1/2" (artikal 191/1) dim. E10, E11, E12, E14, E16, E18, E20, E22, E24
- 6x ključ nasadni 1/2", s ZX profilom (artikal 192/2ZX) dim. M5, M6, M8, M10, M12, M14
- 5x ključ nasadni 1/2", dolg, s ZX profilom (artikal 192/2ZXL) dim. M6, M8, M10, M12, M14
- 8x ključ nasadni imbus, prihvat 1/2" (artikal 192/2HX) dim. 5, 6, 7, 8, 9, 10, 12, 14


- 6x ključ nasadni imbus dugi, prihvat 1/2" (artikal 192/2HXL) dim. 5x100, 6x100, 7x100, 8x100, 10x100, 12x100
- 3x ključ nasadni za svjeće, prihvat 3/8" (artikal 186.4/2) dim. 21, 19, 16
- 6x izbijač (artikal 641/6) dim. 2, 3, 4, 5, 6, 8





### SOS ulošci za alat - prednosti:







- Materijal: polietilenska pjena niske gustoće
- SOS ulošci za alat izrađeni su od dvoslojne poliuretanske pjene, otporne na maziva, benzin, ulja, nitro razrjeđivače, ljepila i motorna ulja - sve ovo može se jednostavno ukloniti bez ikakvih vidljivih ostataka ili mrlja. Ljepila i motorna ulja moraju se odmah ukloniti čišćenjem benzinom kako bi se izbjegle trajne mrlje. Ovi ulošci za alat su otporni u uobičajenim uvjetima te ne mjenjaju oblik sve do temperature od 80 °C.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

### Why Choose Unior:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



Naziv proizvoda	SKU	Članak	Standardi	Količina
Garnitura nasadnih ključeva 1/2" s priborom i sjekačima u SOS ulošku	621390	964/31SOS	-	79
Ključ nasadni s TX profilom, prihvat 1/2"		192/2TX	TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50, TX 55, TX 60	9
Ključ nasadni s TX profilom, dugi, prihvat 1/2"		192/2TXL	TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50, TX 55, TX 60	9
Ključ nasadni s unutarnjim TX profilom, prihvat 1/2"		191/1	E 10, E 11, E 12, E 14, E 16, E 18, E 20, E 22, E 24	9
Ključ nasadni s ZX profilom, prihvat 1/2"		192/2ZX	M 5, M 6, M 8, M 10, M 12, M 14	6

Naziv proizvoda	SKU	Članak	Standardi	Količina
Ključ nasadni dugi s ZX profilom, prihvatač 1/2"		192/2ZZXL	M 6, M 8, M 10, M 12, M 14	5
Ključ nasadni imbus, prihvatač 1/2"		192/2HX	5, 6, 7, 8, 9, 10, 12, 14	8
Ključ nasadni imbus dugi, prihvatač 1/2"		192/2HXL	5x64, 6x64, 7x64, 8x64, 10x64, 12x64	6
Ključ nasadni, dvanaesterokutni, prihvatač 1/2"		190/1 12p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32	17
Ključ nasadni za svjećice, prihvatač 3/8"		186.4/2	21, 19, 16	3
Izbijač		641/6	2, 3, 4, 5, 6, 8	6
Ključ moment, nastavljivi		263	1/2"/40-200 Nm	1
SOS uložak za art. 964/31SOS		v1964/31SOS	564x364x30	1

\* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.