

Garnitura nasadnih ključeva 1/2" s priborom i sjekačima u SOS ulošku

964/31SOS



Profili



[us/materials](#)



[/hr/support/warranty](#)


[/hr/about](#)

Atributi proizvoda










- Tool tray dimension: 564 x 364 x 30 mm
- Compatible with drawers of Eurostyle, Eurovision, Europlus and Hercules (front drawers) line


Set includes:

- 9x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- 9x long screwdriver socket 1/2", with TX profile (article 192/2TXL) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- 9x socket 1/2" with internal TX profile (article 191/1) dim. E10, E11, E12, E14, E16, E18, E20, E22, E24
- 6x screwdriver socket 1/2", with ZX profile (article 192/2ZX) dim. M5, M6, M8, M10, M12, M14




- 5x long screwdriver socket 1/2", with ZX profile (article 192/2ZZXL) dim. M6, M8, M10, M12, M14
- 8x hex socket 1/2" (article 192/2HX) dim. 5, 6, 7, 8, 9, 10, 12, 14
- 6x hex socket 1/2", long type (article 192/2HXL) dim. 5x100, 6x100, 7x100, 8x100, 10x100, 12x100
- 3x spark plug socket 3/8" (article 186.4/2) dim. 21, 19, 16
- 6x pin punch (article 641/6) dim. 2, 3, 4, 5, 6, 8)

| Naziv proizvoda | SKU | Članak | Standardi | Količina |
|--|---|-----------|--|----------|
| Garnitura nasadnih ključeva 1/2" s priborom i sjekačima u SOS ulošku | 621390 | 964/31SOS | - | 79 |
| Ključ nasadni s TX profilom, prihvat 1/2" |  | 192/2TX | TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50, TX 55, TX 60 | 9 |
| Ključ nasadni s TX profilom, dugi, prihvat 1/2" |  | 192/2TXL | TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50, TX 55, TX 60 | 9 |
| Ključ nasadni s unutarnjim TX profilom, prihvat 1/2" |  | 191/1 | E 10, E 11, E 12, E 14, E 16, E 18, E 20, E 22, E 24 | 9 |
| Ključ nasadni s ZX profilom, prihvat 1/2" |  | 192/2ZX | M 5, M 6, M 8, M 10, M 12, M 14 | 6 |
| Ključ nasadni dugi s ZX profilom, prihvat 1/2" |  | 192/2ZZXL | M 6, M 8, M 10, M 12, M 14 | 5 |
| Ključ nasadni imbus, prihvat 1/2" |  | 192/2HX | 5, 6, 7, 8, 9, 10, 12, 14 | 8 |
| Ključ nasadni imbus dugi, prihvat 1/2" |  | 192/2HXL | 5x100, 6x100, 7x100, 8x100, 10x100, 12x100 | 6 |
| Ključ nasadni, dvanaesterokutni, prihvat 1/2" |  | 190/1 12p | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 | 17 |
| Ključ nasadni za svjeće, prihvat 3/8" |  | 186.4/2 | 21, 19, 16 | 3 |

| Naziv proizvoda | SKU | Članak | Standardi | Količina |
|------------------------------|---|-------------|------------------|----------|
| Izbijač |  | 641/6 | 2, 3, 4, 5, 6, 8 | 6 |
| Ključ moment, nastavljivi | | 263 | 1/2"/40-200 Nm | 1 |
| SOS uložak za art. 964/31SOS | | vI964/31SOS | 564x364x30 | 1 |

Maloprodajno pakiranje

| MA | MB | MC |  |
|-----|-----|----|---|
| 405 | 585 | 60 | 8450 |

Transportno pakiranje

|  |
|--|
| 1 |

Rezervni dijelovi



SOS uložak za art. 964/31SOS