


SOS工具托盘装带附件的套筒扳手套装

964/36SOS



配置文件



产品属性

- Tool tray dimension: 564 x 364 x 30 mm
- Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- 12x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- 7x socket 1/4" with internal TX profile (article 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- 19x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3), flat (article 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- 1x Reversible ratchet 1/4"
- accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint, 1x adaptor (1/4"-3/8")
- 1x spinner handle 1/4"
- 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32


- 4x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX30, TX40, TX45, TX50
- 4x socket 1/2" with internal TX profile (article 191/1) dim. E10, E11, E12, E14
- 6x hex socket 1/2" (article 192/2HX) dim. 6, 7, 8, 9, 10, 12
- 4x long screwdriver socket 1/2", with ZX profile (article 192/2ZXL) dim. M6, M8, M10, M12
- 1x Reversible ratchet 1/2"
- accessories 1/2"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint






SOS工具托盘 - 优点：

- 材料：低密度聚乙烯泡沫
- SOS工具托盘使用双层泡沫聚乙烯制成，可轻松去除油脂、汽油、机油、硝基稀释液、粘合剂和车用机油，且不会留下可见残余物（污渍）。粘合剂和车用机油需要使用汽油及时去除，以免留下永久性污渍。
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

Why Choose Unior:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



| 产品名称 | SKU | 文章 | 尺寸 | 数量 |
|--------------------|---|-----------|---|----|
| SOS工具托盘装带附件的套筒扳手套装 | 621395 | 964/36SOS | - | 88 |
| 1/4"套筒 |  | 188/2 6p | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 | 12 |
| 1/4" 带内TX型套筒 |  | 189/2 | E 4, E 5, E 6, E 7, E 8, E 10, E 11 | 7 |
| 1/4"六角螺丝批套筒 |  | 187/2HX | 3, 4, 5, 6, 7 | 5 |
| 1/4" TX型螺丝批头 |  | 187/2TX | TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40 | 8 |
| 1/4"平口螺丝刀 |  | 187/2SL | 0.8 x 4, 1,0 x 5,5, 1,2 x 7 | 3 |

| 产品名称 | SKU | 文章 | 尺寸 | 数量 |
|-------------------|---|-------------|--|----|
| 1/4"十字螺丝批头 |  | 187/2PH | PH 1, PH 2, PH 3 | 3 |
| 1/4"双向棘轮扳手 |  | 188.1/1ABI | 1/4" | 1 |
| 1/4"旋转手柄 |  | 188.2/2BI | 1/4" | 1 |
| 1/4"T型手柄滑杆 |  | 188.3/2 | 1/4" | 1 |
| 1/4" 延长杆 |  | 188.4/2 | 1/4"x55, 1/4"x150 | 2 |
| 1/4" 转向节 |  | 188.6/2 | 1/4" | 1 |
| 1/4" 转接头 |  | 188.7/2 | 1/4" - 3/8" | 1 |
| 1/4" 旋转手柄 |  | 188.8 | 1/4" | 1 |
| 1/2"套筒 |  | 190/1 6p | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 | 18 |
| 1/2" 内TX型套筒 |  | 191/1 | E 10, E 11, E 12, E 14 | 4 |
| 1/2"六角螺丝批套筒 |  | 192/2HX | 6, 7, 8, 9, 10, 12 | 6 |
| 带TX型 1/2" 螺丝批套筒 |  | 192/2TX | TX 30, TX 40, TX 45, TX 50 | 4 |
| 带ZX型 1/2" 长螺丝批套筒 |  | 192/2ZXL | M 6, M 8, M 10, M 12 | 4 |
| 1/2"的双向棘轮扳手 |  | 190.1/1ABI | 1/2" | 1 |
| 1/2" 旋转手柄 |  | 190.2/1BI | 1/2"x380 | 1 |
| 1/2"T型手柄滑杆 |  | 190.3/1 | 1/2" | 1 |
| 1/2" 延长杆 |  | 190.4/1 | 1/2"x250, 1/2"x125 | 2 |
| 1/2" 万向节 |  | 190.6/2 | 1/2" | 1 |
| 964/36SOS的SOS工具托盘 | | vI964/36SOS | 564x364x30 | 1 |

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.