Set of socket wrenches with accessories in SOS tool tray

964/36SOS



프로파일

제품 특징

- Tool tray dimension: 564 x 364 x 30 mm
- Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

세트 구성품:

- 12x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- 7x socket 1/4" with internal TX profile (article 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- 19x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3), flat (article 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- 1x Reversible ratchet 1/4"
- accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint, 1x adaptor (1/4"-3/8")
- 1x spinner handle 1/4"

- 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 4x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX30, TX40, TX45, TX50
- 4x socket 1/2" with internal TX profile (article 191/1) dim. E10, E11, E12, E14
- 6x hex socket 1/2" (article 192/2HX) dim. 6, 7, 8, 9, 10, 12
- 4x long screwdriver socket 1/2", with ZX profile (article 192/2ZXL) dim. M6, M8, M10, M12
- 1x Reversible ratchet 1/2"
- accessories 1/2"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

SOS tool trays – advantages:

- material: low density polyethylene foam
- The tool trays are made from foamed polyethylene, which is resistant to grease, petrol, oil, nitro diluents, adhesives and motor oil – all of which can easily be removed without leaving any visible residue (stains). Adhesives and motor oil need to be removed immediately by cleaning with petrol in order to avoid permanent staining.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

Why Choose Unior:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



제품명	SKU	Article	직경	수량
Set of socket wrenches with accessories in SOS tool tray	621395	964/36SOS	-	88
소켓 1/4", 6 포인트		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	12
Socket with internal TX profile 1/4"		189/2	E 4, E 5, E 6, E 7, E 8, E 10, E 11	7
헥스 소켓 1/4"		187/2HX	3, 4, 5, 6, 7	5

제품명	SKU	Article	직경	수량
TX 프로파일 1/4" 스크루드라이버 소켓		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Slotted screwdriver socket 1/4"		187/2SL	0.8 x 4, 1,0 x 5,5, 1,2 x 7	3
Crosstip screwdriver socket 1/4"		187/2PH	PH 1, PH 2, PH 3	3
리버시블 라쳇 1/4"		188.1/1ABI	1/4"	1
Swivel handle 1/4"		188.2/2BI	1/4"	1
Sliding T - handle 1/4"		188.3/2	1/4"	1
Extension bar 1/4"		188.4/2	1/4"x55, 1/4"x150	2
Universal joint 1/4"		188.6/2	1/4"	1
어댑터 1/4"		188.7/2	1/4" - 3/8"	1
Spinner handle 1/4"		188.8	1/4"	1
소켓 1/2", 6 포인트		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
Socket with internal TX profile 1/2"		191/1	E 10, E 11, E 12, E 14	4
1/2" 헥스 소켓		192/2HX	6, 7, 8, 9, 10, 12	6
Screwdriver socket 1/2" with TX profile		192/2TX	TX 30, TX 40, TX 45, TX 50	4
Long screwdriver socket 1/2" with ZX profile		192/2ZXL	M 6, M 8, M 10, M 12	4
리버시블 라쳇 1/2"		190.1/1ABI	1/2"	1
Swivel handle 1/2"		190.2/1BI	1/2"x380	1
슬라이딩 T 핸들 1/2"		190.3/1	1/2"	1
Extension bar 1/2"		190.4/1	1/2"x250, 1/2"x125	2
Universal joint 1/2"		190.6/2	1/2"	1
SOS tool tray for 964/36SOS		vl964/36SOS	564x364x30	1

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.