

# Dopsleutel- en accessoiresset 1/4" en 1/2" in SOS-module

964/36SOS



## Profielen



## Product attributen

- Tool tray dimension: 564 x 364 x 30 mm
- Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

## Set bevat

- 12x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- 7x socket 1/4" with internal TX profile (article 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- 19x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3), flat (article 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- 1x Reversible ratchet 1/4"
- accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint, 1x adaptor (1/4"-3/8")
- 1x spinner handle 1/4"


- 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 4x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX30, TX40, TX45, TX50
- 4x socket 1/2" with internal TX profile (article 191/1) dim. E10, E11, E12, E14
- 6x hex socket 1/2" (article 192/2HX) dim. 6, 7, 8, 9, 10, 12
- 4x long screwdriver socket 1/2", with ZX profile (article 192/2ZXL) dim. M6, M8, M10, M12
- 1x Reversible ratchet 1/2"
- accessories 1/2"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint




### SOS tool trays – advantages:





















- materiaal: polyethyleenschuim met lage dichtheid
- The tool trays are made from foamed polyethylene, which is resistant to grease, petrol, oil, nitro diluents, adhesives and motor oil – all of which can easily be removed without leaving any visible residue (stains). Adhesives and motor oil need to be removed immediately by cleaning with petrol in order to avoid permanent staining.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

### Waarom kiezen voor Unior:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



Productnaam	SKU	Artikel	Afmetingen	Hoeveelheid
Dopsleutel- en accessoiresset 1/4" en 1/2" in SOS-module	621395	964/36SOS	-	88
Dopsleutel 1/4"		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	12
Dopsleutel 1/4" TX-uitwendig		189/2	E 4, E 5, E 6, E 7, E 8, E 10, E 11	7
Dopsleutel-schroevendraaier 1/4" inbus		187/2HX	3, 4, 5, 6, 7	5

Productnaam	SKU	Artikel	Afmetingen	Hoeveelheid
Dopsleutel-schroevendraaier 1/4" TX		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Dopsleutel-schroevendraaier 1/4" sleuf		187/2SL	0.8 x 4, 1,0 x 5,5, 1,2 x 7	3
Dopsleutel-schroevendraaier 1/4" phillips		187/2PH	PH 1, PH 2, PH 3	3
Omschakelbare ratel 1/4"		188.1/1ABI	1/4"	1
Greep met kniegewricht 1/4"		188.2/2BI	1/4"	1
Schuifgreep 1/4"		188.3/2	1/4"	1
Verlengstuk 1/4"		188.4/2	1/4"x55, 1/4"x150	2
Cardangewricht 1/4"		188.6/2	1/4"	1
Verloopstuk 1/4"		188.7/2	1/4" - 3/8"	1
Handgreep 1/4"		188.8	1/4"	1
Dopsleutel 1/2"		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
Dopsleutel-schroevendraaier 1/2" TX- inwendig		191/1	E 10, E 11, E 12, E 14	4
Dopsleutel-schroevendraaier 1/2" inbus		192/2HX	6, 7, 8, 9, 10, 12	6
Dopsleutel-schroevendraaier 1/2" TX		192/2TX	TX 30, TX 40, TX 45, TX 50	4
Dopsleutel-schroevendraaier 1/2" ZX, lang		192/2ZXL	M 6, M 8, M 10, M 12	4
Omschakelbare ratel 1/2"		190.1/1ABI	1/2"	1
Greep met kniegewricht 1/2"		190.2/1BI	1/2"x380	1
Schuifgreep 1/2"		190.3/1	1/2"	1
Verlengstuk 1/2"		190.4/1	1/2"x250, 1/2"x125	2
Cardangewricht 1/2"		190.6/2	1/2"	1
SOS tool tray for 964/36SOS		v1964/36SOS	564x364x30	1

\* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.