

# Set i kaçavidave në SOS sirtar

964/37SOS



## Profiles



## Product features

- Dimensionet e futjes: 564 x 364 x 30 mm
- Për sirtarët e karrocave Eurostyle, Eurovision, Euromotion, Europlus dhe Hercules (mbajtëse përpara)

## Seti përfshin:

- Kaçavidë e rrafshë TBI 5x (artikulli 605TBI) dim. 0,5x3,0x80, 0,8x4,0x100, 1,0x5,5x125, 1,2x6,5x150, 1,6x8,0x175
- Kaçavidë 4x me majë plus (PH) TBI (artikulli 615TBI) dim. PH 0x60, PH 1x80, PH 2x100, PH 3x150
- 2 copë. i kaçavidave të shkurtra të sheshta (art. 627TBI), dim. 1.0x5.5x25, 1.2x6.5x25
- 2 copë. i kaçavidave të shkurtra Phillips (art. 626TBI), dim. PH 1x25, PH 2x25
- 9 copë. Kaçavidë TORX me dorezë TBI (art. 621TBI), dim. TX 6, TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40
- 6 copë. kaçavidë allen me top. majë dhe dorezë T (art. 193HXS), dim. 3, 4, 5, 6, 8, 10 mm


## SOS tabaka mjet - avantazhe:

- materiali: ulët densitet shkumë polietileni

- Ai SOS tabaka mjet janë bërë nga polietileni të dyfishtë-shkumë të veshura, i cili është rezistent ndaj yndyrat, benzinë, naftë, tretes nitro, ngjitëse dhe vaj motorik - të gjitha të cilat lehtë mund të hiqen pa lënë asnjë tepricë të dukshëm (njollat). Ngjitëse dhe vaj motori duhet të largohen menjëherë nga pastrimi me benzinë për të shmangur errësirë të përhershme.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

## Why Choose Unior:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



Product name	SKU	Article	Dimensions	Quantity
Set i kaçavidave në SOS sirtar	621396	964/37SOS	-	28
Kaçavidë e rrafshët TBI		605TBI	0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.6 x 8.0x175	5
Kaçavidë kryq (PH) TBI		615TBI	PH 0x60, PH 1x80, PH 2x100, PH 3x150	4
Kaçavidë plus (PH) TBI i shkurtë		626TBI	PH 1x25, PH 2x25	2
Kaçavidë i rrafshët TBI,i shkurtë		627TBI	1.0 x 5.5x25, 1.2 x 6.5x25	2
Kaçavidë TBI me TX profil		621TBI	TX 6, TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	9
Imbus T-dorezë, për kënde		193HXS	3, 4, 5, 6, 8, 10	6
SOS mjet tabaka për 964/37SOS		v1964/37SOS	564x364x30	1

\* Imazhet e produkteve janë simbolike. Të gjitha dimensionet janë në mm, pesha në gram.Të gjitha dimensionet e listuara mund të ndryshojnë në tolerancë.

## Safety tips



- Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.
- Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.
- A rounded tip should be redressed with a file; make sure edges are straight.
- Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.
- Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.
- A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes.



- Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.
- Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.
- Don't use a screwdriver with a split or broken handle.
- Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.