Data Sheet
uniortools.com

# Bolt cutter

596/6A



## Profiles


Premium

## Product features

- material: cutters from premium plus carbon steel
- cutting edges separately induction hardened
- steel handles, lacquered, heavy duty plastic handles

## Advantages:

- shock-absorbers on the joints absorb shocks on the handles, which happen when cutting reinforcing rod
- protection of the eccentric screws for adjustment of blades with forged recesses ensures 100% protection against unscrewing




| | | | L | C | |
|---|---|---|---|---|---|
| 610964 | 350 | 14 | 350 | 24 | 805 |

| | | | L | C | |
|---|---|---|---|---|---|
| 610965 | 450 | 18 | 450 | 36 | 1500 |
| 610966 | 600 | 24 | 600 | 40 | 2600 |
| 610967 | 750 | 30 | 750 | 46 | 3950 |
| 610968 | 900 | 36 | 900 | 50 | 6300 |
| 612984 | 1050 | 42 | 1050 | 46 | 6900 |

cutting capacity (10N=1kg)

| | L | max 1560 N/mm² Ø | max 750 N/mm² Ø |
|---|---|---|---|
| 610964 | 350 | 3,5 | 5 |
| 610965 | 450 | 5 | 8 |
| 610966 | 600 | 7 | 10 |
| 610967 | 750 | 8 | 13 |
| 610968 | 900 | 9 | 16 |
| 612984 | 1050 | 10 | 19 |

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.

## Usage (pictures)








## Photo (pictures)

















## Spare parts

 Spare parts for 596/6A

# Frequently asked questions

**Can we eliminate the clearance between the blades of the bolt cutter?**
Of course. The procedure is described in the instructions.