

Set de surubelnite TBI in cutie de plastic

607PB8TBI



Profile



Caracteristicile produsului

• Dimensiunea cutiei : 307 x 260 x 55

Set includes:

- 1x flat screwdriver TBI (article 602TBI) dim. 0.5x3.0x100
- 3x TBI flat screwdriver (article 605TBI) dim. 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150
- 2x TBI crosstip (PH) screwdriver (article 615TBI) dim. PH 1x80, PH 2x100
- 2x TBI double-crosstip (PZ) screwdriver (article 625TBI) dim. PZ 1x80, PZ 2x100

| Denumirea Produsului | SKU | Articol | Dimensiuni | Cantitate |
|---|--------|-----------|--|-----------|
| Set de surubelnite TBI in cutie de plastic | 621445 | 607PB8TBI | - | 8 |
| Surubelnite plate pentru electricieni TBI | | 602TBI | 0.5 x 3.0x100 | 1 |
| Surubelnite plate TBI | | 605TBI | 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150 | 3 |
| Surubelnite TBI-(PH) | | 615TBI | PH 1x80, PH 2x100 | 2 |
| Surubelnite TBI-(PZ) | | 625TBI | PZ 1x80, PZ 2x100 | 2 |
| Cutie de plastic pentru capete chei tubulare, chei | | 981PBS2 | 307x260x55 | 1 |

* Imaginea produsului este simbolica. Toate dimensiunile sunt exprimate în mm, greutatea în grame.

Safety tips

\checkmark

• Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.

• Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.

• A rounded tip should be redressed with a file; make sure edges are straight.

• Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.

• Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.

• A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes.

• Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.

• Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.

• Don't use a screwdriver with a split or broken handle.

• Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.

Safety (pictures)

 \bigotimes

