

# Набор отвёрток, рукоятки TBI, в SOS-ложементе

964/9DSOS



## Профили




## Описание товара

- Размер ложемента: 188 x 364 x 30 мм
- Совместимо с тележками серии Eurostyle, Eurovision, Europlus and Hercules

## В комплекте:

- 4x отвёртки с профилем TORX, рукоятка TBI (арт.е 621TBI) TX 6, TX 7, TX 8, TX 9
- 2x отвёртки крестовых PH, рукоятка TBI (арт. 615TBI) PH 1x80, PH 2x100
- 2x отвёртки крестовых PZ, рукоятка TBI (арт. 625TBI) PZ 1x80, PZ 2x100






Наименование товара

SKU

Артикул

Размеры

Количество

| Наименование товара                                     | SKU   | Артикул     | Размеры                | Количество |
|---|---|-------------|------------------------|------------|
| Набор отвёрток, рукоятки TBI, в SOS-ложементе           | 621561  | 964/9DSOS   | -                      | 8          |
| Отвёртка с профилем TORX, рукоятка TBI                  |  | 621TBI      | TX 6, TX 7, TX 8, TX 9 | 4          |
| Отвёртка крестовая PH, рукоятка TBI                     |  | 615TBI      | PH 1x80, PH 2x100      | 2          |
| Отвёртка крестовая PZ, рукоятка TBI                     |  | 625TBI      | PZ 1x80, PZ 2x100      | 2          |
| SOS-ложемент для отвёрток, рукоятки TBI, арт. 964/9DSOS |   | v1964/9DSOS | 188x364x30             | 1          |

\* Изображения продуктов носят демонстрационный характер. Все размеры указаны в миллиметрах, вес в граммах.

## Советы по безопасности



- Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.
- Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.
- A rounded tip should be redressed with a file; make sure edges are straight.
- Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.
- Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.
- A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes.



- Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.
- Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.
- Don't use a screwdriver with a split or broken handle.
- Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.