

# Odvijači TBI u SOS ulošku za alat

964/9DSOS



## Profili




## Opis proizvoda

- Dimenzije uloška 188x364x30 mm
- Odgovara fiokama kolica iz serija Eurostyle, Eurovision, Euromotion, Europlus i Hercules (sa prednjim fiokama)

## Sadržaj:

- 4 kom. odvijača sa TORX profilom (art. 621TBI), dim. TX 6, TX 7, TX 8, TX 9
- 2 kom. krstastih odvijača (PH) sa TBI ručkom (art. 615TBI), dim. PH 1x80, PH 2x100
- 2 kom. krstastih odvijača (PZ) sa TBI ručkom (art. 625TBI), dim. PZ 1x80, PZ 2x100






Naziv proizvoda

SKU

Artikal

Dimenzije

Količina

Naziv proizvoda	SKU	Artikal	Dimenzije	Količina
Odvijači TBI u SOS uložku za alat	621561	964/9DSOS	-	8
Odvijač TBI sa TX profilom		621TBI	TX 6, TX 7, TX 8, TX 9	4
Odvijač TBI krstasti PH		615TBI	PH 1x80, PH 2x100	2
Odvijač TBI krstasti PZ		625TBI	PZ 1x80, PZ 2x100	2
SOS uložak za garnituru TBI odvijača 964/9DSOS		vI964/9DSOS	188x364x30	1

\* Fotografije proizvoda su simbolične. Sve dimenzije su u mm, a težina u gramima. Sve navedene dimenzije mogu odstupati u granicama tolerancija.

## Pravilna upotreba



- Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.
- Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.
- A rounded tip should be redressed with a file; make sure edges are straight.
- Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.
- Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.
- A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes.



- Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.
- Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.
- Don't use a screwdriver with a split or broken handle.
- Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.