

Set of grip crimp pliers with exchangeable jaws in plastic box

428/4AGPB



프로파일



제품 특징

- material: premium plus carbon steel
- surface finish: phosphated to standard ISO 9717
- heavy duty double - component handles
- Dimension of box: 307 x 260 x 55

장점:

- ratchet crimp system ensures reliable work
- quick changing system for 4 different types of jaws

용도:

- for insulated terminals AWG10-12/14-16/18-22 (4-6/1.5-2.5/0.5-1.0mm²)
- for non-insulated terminals AWG14-6 (0.2-16mm²)
- for cord end terminals AWG22-6 (0.5-16mm²)
- for BNC/TNC coax connectors RG-58, RG-59/62. Hex connectors 0.255 (6.48mm²), 0.213 (5.41mm²), 0.068 (1.73mm²)



621557

1315

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.

사용법 (사진)



스페어 파트



Spare jaw for insulated terminals for 428/4AG



Spare jaw for coax and hex connectors for 428/4AG



Spare jaw for non-insulated terminals for 428/4AG



Spare jaw for cord end terminals for 428/4AG

자주 묻는 질문

케이블 연결에 크림핑 플라이어를 사용해야 하는 이유는 무엇입니까? 단순히 콤비네이션 플라이어를 사용하지 않는 이유는 무엇입니까?

케이블 연결 작업 시 크림핑 플라이어를 사용해야 합니다. 크림핑 플라이어가 연결부를 올바르게 정확하게 압착할 수 있는 유일한 방법이기 때문입니다. 이는 접합부의 안전을 위한 요구 사항이며 플라이어의 홈/모양에 의해 결정됩니다.