


Flat electrician`s screwdriver TBI

602TBI



Usage



Profiles




(</eng/about-us/materials>).



Product attributes



- blade: premium hard chrome vanadium steel, entirely hardened and tempered
- blade chrome plated, black anodised tip
- handle: ergonomic shape
- three component material
- hanging hole


Standards

DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006





	axb	C	L	D	
612797	0.4 x 2.5	60	145	2.5	33
612798	0.4 x 2.5	75	160	2.5	33
611684	0.5 x 3.0	100	185	3	37
612799	0.5 x 3.0	150	235	3	39
612800	0.6 x 3.5	100	185	3.5	39


	axb	C	L	D	
612801	0.8 x 4.0	100	185	4	43
611685	0.8 x 4.0	125	210	4	45
612802	0.8 x 4.0	150	235	4	48
612803	0.8 x 4.0	250	335	4	56
612804	1.0 x 5.5	125	225	5.5	75
611686	1.0 x 5.5	150	250	5.5	81
616843	1.0 x 5.5	280	380	5.5	103
612805	1.2 x 6.5	150	260	6.5	113
616844	1.2 x 6.5	280	390	6.5	145
612806	1.2 x 8.0	175	295	8	163



Retail packaging

	MA	MB	MC	
612797	200	44	32	40
612798	215	44	32	40
611684	240	44	32	44
612799	290	44	32	46
612800	240	44	32	46
612801	240	44	32	50
611685	265	44	32	52
612802	290	44	32	55
612803	390	44	32	63
612804	280	44	36,6	82
611686	310	44	36,6	88
616843	440	44	36,6	110

Barcode	MA	MB	MC	Weight
612805	315	44	39,7	120
616844	445	44	39,7	152
612806	350	44	39,7	170



Transport packaging

Barcode	Hand icon	TA	TB	TC	Weight
612797	4	75	286	40	285
612798	4	75	286	40	285
611684	4	75	286	40	301
612799	4	104	337	40	309
612800	4	75	286	40	309
612801	4	75	286	40	325
611685	4	114	291	39	333
612802	4	104	337	40	345
612803	4	75	456	34	377
612804	4	115	318	39	453
611686	4	104	337	40	477
616843	4	64	627	45	565
612805	4	115	340	39	605
616844	4	64	627	45	733
612806	4	114	388	47	805