

# TBI柄双十字(PZ)螺丝刀

625TBI



#### 配置文件




#### 标准

ISO 8764-1, 2

#### 产品属性

- 螺丝刀:切割器 特种工具钢、锻造、完全淬火与回火,完全淬火与回火
- 镀铬刀片,黑色刀头
- 手柄:符合人体工程学的形状
- 三种成分组成的材料
- 挂孔
- 根据ISO 8764-1,2标准生产



|        | +    | C  | L   | D   | •  |  |
|--------|------|----|-----|-----|----|--|
| 611741 | PZ 0 | 60 | 145 | 3   | 34 |  |
| 611742 | PZ 1 | 80 | 180 | 4.5 | 60 |  |

|        | +    | С   | L   | D | •   |
|--------|------|-----|-----|---|-----|
| 611743 | PZ 2 | 100 | 210 | 6 | 93  |
| 611744 | PZ 3 | 150 | 270 | 8 | 156 |

<sup>\*</sup> Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

#### 用途 (pictures)



### Safety tips



- Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.
- Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.
- A rounded tip should be redressed with a file; make sure edges are straight.
- Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.
- Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.
- A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes.



- Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.
- Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.
- Don't use a screwdriver with a split or broken handle.
- Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.

#### Safety (pictures)









## Frequently asked questions

Can you hit the screwdriver?

No, you should not hit the screwdriver.

### How do we clean a multi-component handle?

With cleaning agents designed for PP/TPE material.

# Can a screwdriver with a PH tip be used for PZ cross head screws? Its use is not recommended as this can cause damage to the screw.