

# Odvijač TBI krstasti PZ

625TBI



## Profili










## Standardi

ISO 8764-1, 2

## Opis proizvoda

- stablo: premium hard hrom-vanadijum čelik, u celosti poboljšano
- vrh bruniran, površina stabla hromirana
- ručka ergonomski oblikovana
- ručica od trokomponentnog materijala
- otvor u dršci za kačenje
- izrađen prema standardu ISO 8764-1,2



					
611741	PZ 0	60	145	3	34
611742	PZ 1	80	180	4.5	60



611743

PZ 2

100

210

6

93

611744

PZ 3

150


270

8

156

\* Fotografije proizvoda su simbolične. Sve dimenzije su u mm, a težina u gramima. Sve navedene dimenzije mogu odstupati u granicama tolerancija.

## Upotreba (slike)



## Pravilna upotreba





- Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.
- Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.
- A rounded tip should be redressed with a file; make sure edges are straight.
- Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.
- Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.
- A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes.



- Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.
- Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.
- Don't use a screwdriver with a split or broken handle.
- Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.

## Bezbednost (slike)



## Najčešće postavljana pitanja

### **Da li se može udarati po odvijaču?**

Po odvijaču se ne sme udarati.

### **Kako očistiti višekomponentnu ručku?**

Sa sredstvima za čišćenje predviđenim za PP/TPE materijale.

### **Da li se odvijač sa PH vrhom može koristiti za vijke sa PZ krstastom glavom?**

Njegova upotreba se ne preporučuje, jer može oštetiti vijak.