

TBI柄球头六角螺丝刀

620TBI




配置文件



产品属性

- 螺丝刀：切割器 - 特种工具钢、锻造、完全淬火与回火，完全淬火与回火
- 镀铬刀片，黑色刀头
- 手柄：符合人体工程学的形状
- 三种成分组成的材料
- 挂孔



| 条形码 | 六角头尺寸 | C | L | D | 挂孔 |
|--------|-------|-----|-----|-----|-----|
| 611715 | 2 | 65 | 150 | 3 | 31 |
| 611716 | 2.5 | 75 | 160 | 3 | 34 |
| 611717 | 3 | 75 | 160 | 3.5 | 37 |
| 611718 | 4 | 100 | 200 | 5 | 68 |
| 611719 | 5 | 100 | 210 | 6 | 93 |
| 611720 | 6 | 125 | 245 | 7 | 128 |



611721

8

150


270

10

203

* Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

用途 (pictures)



Safety tips



- Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.
- Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.
- A rounded tip should be redressed with a file; make sure edges are straight.
- Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.
- Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.
- A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes.



- Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.
- Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.
- Don't use a screwdriver with a split or broken handle.
- Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.

Safety (pictures)

