


# Отвертка ТВІ с ТХ профил


621TBI



## Употреба









## Профили




## Параметри на продукта



- стebло: premium hard хромванадиева стомана, изцяло закалено
- острие: хромирано, връх: индуктивно закален и фосфатиран
- дръжка: ергономична
- трикомпонентна
- отвор за закачване


		C	L	D	
611722	TX 6	60	145	3	34
611723	TX 7	60	145	3	34
611724	TX 8	60	145	3	34
611725	TX 9	60	145	3	34
611726	TX 10	80	165	3	35
611727	TX 15	80	165	3,5	37
611728	TX 20	100	185	4	43

		C	L	D	
611729	TX 25	100	200	4.5	63
611730	TX 27	115	215	5.5	76
611731	TX 30	115	225	6	98
611732	TX 40	130	250	7	130
611733	TX 45	130	250	8	148






## Опаковки на дребно

	MA	MB	MC	
611722	200	44	32	41
611723	200	44	32	41
611724	200	44	32	41
611725	200	44	32	41
611726	220	44	32	42
611727	220	44	32	44
611728	240	44	32	50
611729	255	44	36,6	70
611730	270	44	36,6	83
611731	280	44	39,7	105
611732	310	44	42,7	137
611733	310	44	42,7	155



## Транспортна опаковка

		TA	TB	TC	
--	---	----	----	----	---

		TA	TB	TC	
611722	4	75	286	40	289
611723	4	75	286	40	289
611724	4	75	2286	40	289
611725	4	75	286	40	289
611726	4	75	286	40	293
611727	4	75	278	54	301
611728	4	75	278	54	325
611729	4	114	291	39	405
611730	4	114	291	39	457
611731	4	115	318	39	545
611732	4	115	340	39	673
611733	4	115	340	39	745