


# Destornillador TX inviolable

621/1TBI



## Empleo



## Características del producto


- Hoja: acero al cromo vanadio molibdeno
- Hoja cromada, punta pavonada
- Mango ergonómico
- material tricomponente
- agujero para colgar

## Perfiles







[\(/es/about-us/materials\)](https://es/about-us/materials)

[\(/es/support/warranty\)](https://es/support/warranty)






		C	L	D	
611734	TR 10	80	165	3	35
611735	TR 15	80	165	3.5	37
611736	TR 20	100	185	4	43

		C	L	D	
611737	TR 25	100	200	4.5	63
611738	TR 27	115	215	5.5	76
611739	TR 30	115	225	6	98
611740	TR 40	130	250	7	130






### Empaquetado para venta al público

	MA	MB	MC	
611734	220	44	32	42
611735	220	44	32	44
611736	240	44	32	50
611737	255	44	36,6	70
611738	270	44	36,6	83
611739	280	44	39,7	105
611740	310	44	42,7	137



### Embalaje para el transporte

		TA	TB	TC	
611734	4	75	286	40	293
611735	4	75	278	54	301
611736	4	75	278	54	325
611737	4	114	291	39	405
611738	4	114	291	39	457
611739	4	115	318	39	545



TA

TB

TC



611740

4

115

340

39

673