

# Trekker met twee verstelbare armen

680/2




## Profielen



## Product attributen

- material: body from premium flex plus carbon steel, arm from premium chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: trivalent chrome plated according to ISO 1456:2009, screw blackened


- arms adjustable in two positions
- lever action claws fit closely under the part to be removed



	Nº	L↑	D↑			M	S	
612603	0	90	90	20	2	M 10 x 1	13	405
601762	1	130	160	30	3	M 14 x 1,5	17	915
601763	2	190	230	40	4	M20 x 2	22	2078
601764	3	250	300	60	6	M 22 x 2	24	4075

\* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm, en het gewicht in grammen. Alle vermelde afmetingen kunnen variëren in tolerantie.

## Gebruik (Afbeeldingen)



## Onderdelen

Arm

Spindle

## Gerelateerde producten



Trekker, 2-armig











Trekker, 2-armig



Trekker met drie verstelbare armen

## Veiligheid (Afbeeldingen)



## Veelgestelde vragen

**Kunnen we een grotere trekkracht bereiken met een drie-armige trekker in vergelijking met een twee-armige trekker?**

Dat hangt af van de afmetingen. In principe wel, want de kracht wordt verdeeld over meerdere armen.

**Eén been is gebroken. Moet ik alle benen vervangen of alleen het gebroken been ?**

Het is noodzakelijk om alle benen te vervangen.

