

Extractoare cu doua brate glisante

681/2



Profile




Caracteristicile produsului

- material: otel special de scule
- forjata, calire si revenire totala
- acoperire: cromare in conformitate cu EN 12540, surubul brunat

Avantaje:


- prin intoarcerea bratelor, extractorul poate fi de interior sau de exterior
- design rigid si robust pentru lucrari dificile



| Barcode | Nº | B | D1 | D2 | L↑ | Fmax→ | tmax→ | M | S | Icon |
|---------|-----|-----|-----------|-----------|-----|-------|-------|----------|----|------|
| 601765 | 300 | 280 | 70 - 220 | 110 - 260 | 150 | 65 | 6.5 | M 20 x 2 | 22 | 3355 |
| 601766 | 400 | 450 | 110 - 360 | 190 - 450 | 200 | 110 | 11 | M 22 x 2 | 32 | 8725 |

* Imaginea produsului este simbolica. Toate dimensiunile sunt exprimate în mm, greutatea în grame.

0 (pictures)



Piese de schimb



Brat



Surub

Related products



Extractoare cu doua brate reglabile











Extractoare cu doua brate glisante



Extractoare cu trei brate reglabile

Safety (pictures)



Frequently asked questions

Un brat al extractorului s-a rupt. Trebuie să înlocuiesc toate bratele sau doar pe cel rupt?
Este necesar să schimbați toate bratele extractorului.