

Izvlakač dvokraki klizni

681/2



Profili




Opis proizvoda

- materijal: premium flex plus alatni čelik, kraci - premium hrom-vanadijum čelik
- kovan, u potpunosti poboljšan i ojačan
- površina: hromirana po ISO 1456:2009, vreteno brunirano

Prednosti:


- obrtanjem kraka izvlakač može biti unutrašnji ili spoljni
- ojačana izvedba namenjena zahtevnim operacijama



Barcode	Nº	B	D1	D2	L↑	F_{max}	t_{max}	M	S	Icon
601765	300	280	70 - 220	110 - 260	150	65	6.5	M 20 x 2	22	3355
601766	400	450	110 - 360	190 - 450	200	110	11	M 22 x 2	32	8725

* Fotografije proizvoda su simbolične. Sve dimenzije su u mm, a težina u gramima. Sve navedene dimenzije mogu odstupati u granicama tolerancija.

Upotreba (slike)



Rezervni delovi



Krak



Vreteno

Povezani proizvodi



Izvlakač dvokraki











Izvlakač dvokraki klizni



Izvlakač trokraki

Bezbednost (slike)



Najčešće postavljana pitanja

Jedan krak je slomljen. Da li moram da zamenim sve krake ili samo polomljeni?
Neophodno je zameniti sve krake.