

# Cone wrench, single sided

1617/2DP



## Usage




## Profiles



[\(/eng/support/warranty\)](#)

## Product features

- material: premium flex plus carbon steel
- surface finish: chrome plated according to ISO 1456:2009
- double plastic dipped handles
- The design and dimensions of our tools always adapt to new standards and bicycle models. The single sided cone wrench has a remarkable toughness, hardness, durability and tight fit. The ergonomic shape ensures good functionality. The cone wrench sits perfectly in the hand which makes the work fast and comfortable.



L

A



615518

13

200

2

100




615519


14

200



2

82


		L	A	
615520	15	200	2	84
615521	16	200	2	89
615522	17	200	2	97
615523	18	200	2	89
615524	19	200	2	95
615525	20	200	2	94
617840	22	220	3	134
621918	23	220	3	125
617841	24	220	3	130
628164	26	240	3	164
619554	27	240	3	160
624134	28	240	3	154
615367	30	240	3	293
615368	32	275	4	286
615369	34	275	4	289
615370	36	275	4	279
615371	40	275	4	275
615456	42	275	4	277
615457	44	275	4	270



## Retail packaging




	MA	MB	MC	
615518	250	45	12,5	93
615519	250	45	11,4	89
615520	250	45	11,4	91

Barcode	MA	MB	MC	Icon
615521	250	45	11,4	88
615522	250	45	11,4	87
615523	250	45	11,4	104
615524	250	45	11,4	88
615525	250	45	11,4	103
617840	270	48,2	11,4	141
621918	270	50	12	140
617841	270	48,2	11,4	137
628164				
619554	290	54,2	11,4	158
624134	290	54,2	11,4	158
615367	330	75,2	13,5	306
615368	330	75,2	13,5	299
615369	330	75,2	13,5	302
615370	330	75,2	13,5	292
615371	330	75,2	13,5	288
615456	330	75,2	13,5	290
615457	330	75,2	13,5	283
623257	250	45	12,5	90
623258	250	45	12,5	90



## Transport packaging

Barcode	Icon	TA	TB	TC	Icon
615518	4	57	256	33	447
615519	4	57	256	33	431
615520	4	57	256	33	439
615521	4	57	256	33	427
615522	4	57	256	33	423

		TA	TB	TC	
615523	4	57	256	33	491
615524	4	57	256	33	427
615525	4	57	256	33	487
617840	4	57	256	33	639
621918	4	65	282	40	620
617841	4	65	282	40	623
628164					
619554	4	65	282	40	707
624134	4	65	282	40	707
615367	4	104	337	40	1299
615368	4	104	337	40	1271
615369	4	104	337	40	1283
615370	4	104	337	40	1243
615371	4	104	337	40	1227
615456	4	104	337	40	1235
615457	4	104	337	40	1207
623257	4	57	256	33	435
623258	4	57	256	33	435