

Schroevendraaiers, elektronica in ophangverpakking

608CS5E



Profielen



Product attributen

- 4x Crosstip (PH) electronic screwdriver (article 615E) dim. PH 000x60, PH 00x60, PH 0x60, PH 1x80
- 1x Crosstip (PZ) electronic screwdriver (article 625E) dim. PZ 0x60

| Productnaam | SKU | Artikel | Afmetingen | Hoeveelheid |
|--|--------|---------|--|-------------|
| Schroevendraaiers, elektronica in ophangverpakking | 620962 | 608CS5E | - | 5 |
| Schroevendraaier, elektronica, phillips | | 615E | PH 000x60, PH 00x60, PH 0x60, PH 1x80 | 4 |
| Schroevendraaier, elektronica, pozidriv | | 625E | PZ 0x60 | 1 |

* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.

Veiligheidstips



• Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.

• Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.

• A rounded tip should be redressed with a file; make sure edges are straight.

• Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.

• Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.

• A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes. • Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.

• Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.

• Don't use a screwdriver with a split or broken handle.

• Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.

