

Garnitura nasadnih ključeva i pribora 1/4" u SOS ulošku

964/5S12SOS



Profili



Atributi proizvoda

- Dimenzija uloška: 188 x 364 x 30 mm
- Za Eurostyle, Eurovision, Euromotion, Europlus i Hercules ladice za kolica (prednje ladice)

Set sadrži:


- 11x ključ nasadni, prihvat 1/4" 12-kutni (artikal 188/2 12P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13
- 7x nasadni ključ 1/4" s unutarnjim TX profilom (artikal 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- 19x ključ nasadni 1/4"; imbus (artikal 187/2HX dim. 3, 4, 5, 6, 7), TX profil (artikal 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), križni (artikal 187/2PH dim. PH 1, PH 2, PH 3), plosnati (artikal 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- 1x račna dvosmjerna, prihvat 1/4"
- pribor 1/4"; 1x ručka sa zglobovom, 1x T ručka, 2x nastavak (55, 150mm), 1x kardanski zglobov, 1x adapter (1/4"-3/8")
- 1x odvijač s nastavkom 1/4"












SOS ulošci za alat - prednosti:



- Materijal: polietilenska pjena niske gustoće
- SOS ulošci za alat izrađeni su od dvoslojne poliuretanske pjene, otporne na maziva, benzin, ulja, nitro razrjeđivače, ljepila i motorna ulja - sve ovo može se jednostavno ukloniti bez ikakvih vidljivih ostataka ili mrlja. Ljepila i motorna ulja moraju se odmah ukloniti čišćenjem benzinom kako bi se izbjegle trajne mrlje. Ovi ulošci za alat su otporni u uobičajenim uvjetima te ne mijenjaju oblik sve do temperature od 80 °C.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

Why Choose Unior:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



| Naziv proizvoda | SKU | Članak | Standardi | Količina |
|--|---|-------------|---|----------|
| Garnitura nasadnih ključeva i pribora 1/4" u SOS ulošku | 621185 | 964/5S12SOS | - | 45 |
| Ključ nasadni dvanaesterokutni, prihvat 1/4" |  | 188/2 12p | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13 | 11 |
| Račna dvosmjerna, prihvat 1/4" |  | 188.1/1ABI | 1/4" | 1 |
| Ručica sa zglobom, prihvat 1/4" |  | 188.2/2BI | 1/4" | 1 |
| Produžetak, prihvat 1/4" |  | 188.4/2 | 1/4"x55, 1/4"x150 | 2 |
| T-ručka, prihvat 1/4" |  | 188.3/2 | 1/4" | 1 |
| Odvijač s nastavkom 1/4" |  | 188.8 | 1/4" | 1 |
| Kardanski zglob, prihvat 1/4" |  | 188.6/2 | 1/4" | 1 |
| Adapter, prihvat 1/4" |  | 188.7/2 | 1/4" - 3/8" | 1 |
| Ključ nasadni križni, PH, prihvat 1/4" |  | 187/2PH | PH 1, PH 2, PH 3 | 3 |
| Ključ nasadni plosnati, prihvat 1/4" |  | 187/2SL | 0.8 x 4, 1.0 x 5.5, 1.2 x 7 | 3 |
| Ključ nasadni imbus, prihvat 1/4" |  | 187/2HX | 3, 4, 5, 6, 7 | 5 |

| Naziv proizvoda | SKU | Članak | Standardi | Količina |
|--|---|---------------|--|----------|
| Ključ nasadni TX, prihvati 1/4" |  | 187/2TX | TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40 | 8 |
| Ključ nasadni s unutarnjim TX profilom, prihvati 1/4" |  | 189/2 | E 4, E 5, E 6, E 7, E 8, E 10, E 11 | 7 |
| Uložak SOS za art. 964/5SSOS | | vI964/5S12SOS | 188x364x30 | 1 |

* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.