

Univerzalni skidač remenica

2210/2A




Profili



Atributi proizvoda


- materijal: Premium Flex Plus ugljični čelik, ojačan i poboljšán
- u potpunosti poboljšán i ojačan
- površina kromirana ISO 1456:2009
- za skidanje svih vrsta remenica (sa 2, 3, 4, 5, 6, 7, 8, 9 utora)
- Alat je dizajniran za demontažu pogonskih remenica sa žljebovima na čeonj strani. Alat demontira remenicu bez ikakvog rizika od oštećenja. Alat je podesiv za različite promjere remenica, jer su krakovi podešavajući.




	B	D	H		
621780	100	48 - 82	135	800	Till end of the stock

* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.


upotreba (pictures)




Krake izvlakača (3 kraka) postavljate u otvore remenice u skladu s brojem otvora na remenici. Npr.: ukoliko remenica ima 5 otvora, tri kraka postavljate u otvore izvlakača koji su obilježeni brojem 5




Postavite krake izvlakača u otvore remenice



Za pričvršćivanje izvlakača na remenicu okrećite vreteno u smjeru kazaljke na satu dok se izvlakač ne pričvrsti



Po završetku rada, uklonite izvlakač



Može se koristiti za...







Photo (pictures)



Accessories



Univerzalni skidač remenica



Separator

Rezervni djelovi



Vreteno za 2210/2

Safety (pictures)

