锻造两用棘轮扳手

160/6



配置文件

Premium

产品属性

- 材料：铬钒钢
- 落锻，完全淬火与回火
- Surface finish: black electrolaquered

优势：

- ratchet works both way, screw direction can be changed by turning the wrench
- 72 - 齿，5°工作角度



	mm	L	B2	B1	A2	A1	
622818	8	134	17,1	16,7	8,4	4,7	40
622819	9	158	21	21	8,4	5,5	55
622820	10	158	21	21	8,4	5,5	60
622821	11	164	22,6	23	9,7	6	70

		mm	L	B2	B1	A2	A1	
622822		12	167	23,8	25	9,7	6,2	80
622823		13	177	24,9	27,5	9,7	6,0	96
622824		14	189	27	29	10,1	7	125
622825		15	198	28,1	31,5	11,7	7,2	150
622826		16	204	29,9	33	11,7	7,5	165
622827		17	224	31,9	34,9	11,7	8	183
622828		18	245	34,4	38,9	12	8,8	210
622829		19	245	34,4	38,9	19	12	230
622831		21	280	45,7	42,6	14,2	9,5	358
622832		22	280	45,7	42,6	14,2	9,5	378
622834		24	310	51,7	46,5	14,7	10	480
640521	NEW	27	330	51	56	15.1	11	570
640522	NEW	30	420	64	65.5	18	12.5	1227
640523	NEW	32	420	64	65.5	18	12.5	1200

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.

用途 (pictures)











Related products

 长柄组合扳手

 短柄两用扳手

 纸盒装锻造两用棘轮扳手套装

Frequently asked questions

Do wrenches with a ratchet need to be oiled?
No, the ratchet mechanism should not be oiled, but the dirt should be removed with a non-corrosive cleaning agent.