

Ratchet combination wrench

160/2



Usage



Profiles



[\(/eng/about-us/materials\)](/eng/about-us/materials)


[\(/eng/support/warranty\)](/eng/support/warranty)

Product features

- material: premium chrome vanadium steel
- drop forged, entirely hardened and tempered

Advantages:

- ratchet: works both way, screw direction can be changed with button
- 72 - teeth, 5° working angle
- Stop ring on the ring part of the wrench prevents unexpected slip of the wrench from the nut and positioning back on the nut.
- It enables quick and easy tightening of the nut without causing damage to the user and quick, save and precise positioning of the wrench on the nut.



622818



8

L

134

B2

17,1

B1

16,7

A2




8,4


A1

4,7







40

		L	B2	B1	A2	A1	
622819	9	158	21	21	8,4	5,5	55
622820	10	158	21	21	8,4	5,5	60
622821	11	164	22,6	23	9,7	6	70
622822	12	167	23,8	25	9,7	6,2	80
622823	13	177	24,9	27,5	9,7	6,0	96
622824	14	189	27	29	10,1	7	125
622825	15	198	28,1	31,5	11,7	7,2	150
622826	16	204	29,9	33	11,7	7,5	165
622827	17	224	31,9	34,9	11,7	8	183
622828	18	245	34,4	38,9	12	8,8	210
622829	19	245	34,4	38,9	19	12	230
622831	21	280	45,7	42,6	14,2	9,5	358
622832	22	280	45,7	42,6	14,2	9,5	378
622834	24	310	51,7	46,5	14,7	10	480






Retail packaging

	MA	MB	MC	
622818	190	44	12,5	43
622819	210	44	13,7	68
622820	206	44	13,5	67
622821	215	44	14,5	75
622822	217	44	16	84
622823	255	44	25	165
622824	242	44	17,5	124
622825	245	44	18	142
622826	260	44	19	172
622827	275	44	18	192
622828	284	44	21	222

	MA	MB	MC	
622829	295	44	18	245
622831	330	46,2	24,5	404
622832	332	46,2	25	391
622834	360	58	26	506

Transport packaging

		TA	TB	TC	
622818	4	62	192	33	200
622819	4	62	192	33	300
622820	4	62	192	33	290
622821	4	62	192	33	330
622822	4	57	237	33	363
622823	4	60	222	44	700
622824	4	60	222	44	522
622825	4	65	282	40	610
622826	4	71	243	42	711
622827	4	65	282	40	800
622828	4	70	297	40	927
622829	4	74	327	44	1050
622831	4	100	362	38	1690
622832	4	100	362	38	1615
622834	4	100	362	38	2050