

Otevřený maticový klíč

110/1



Profily


Premium 

Standardy

ISO 10102

Vlastnosti produktu

- materiál: Premium chrom-vanadium ocel
- postupově kované, zcela tvrzeno a temperováno
- povrch chrom
- leštěná hlava
- Vyrobeno podle normy ISO 10102 (pouze metrické rozměry)
- Hlava klíče pod 15°



603316



4 x 4.5

L

100

B1

14

B2

14

A

3.4



10



L




B1

B2

A




| | | | | | | |
|--------|---------|-----|------|------|-----|-----|
| 603317 | 4 x 5 | 100 | 14 | 14 | 3.4 | 10 |
| 603318 | 5 x 5.5 | 100 | 14 | 14 | 3.4 | 10 |
| 600060 | 5.5 x 7 | 121 | 14.4 | 16.4 | 3.4 | 15 |
| 600061 | 6 x 7 | 121 | 14.4 | 16.4 | 3.4 | 15 |
| 600062 | 7 x 8 | 140 | 18.4 | 22.9 | 3.7 | 24 |
| 600064 | 8 x 9 | 140 | 18.4 | 22.9 | 3.7 | 24 |
| 600065 | 8 x 10 | 140 | 18.4 | 22.9 | 3.7 | 23 |
| 600066 | 9 x 10 | 159 | 22.7 | 24.2 | 4.5 | 43 |
| 600067 | 9 x 11 | 159 | 22.7 | 24.2 | 4.5 | 40 |
| 600068 | 10 x 11 | 159 | 22.7 | 24.2 | 4.5 | 40 |
| 600069 | 10 x 12 | 172 | 26.2 | 29.2 | 4.9 | 58 |
| 600070 | 10 x 13 | 172 | 26.2 | 29.2 | 4.9 | 59 |
| 600072 | 11 x 13 | 172 | 26.2 | 29.2 | 4.9 | 58 |
| 600074 | 12 x 13 | 172 | 26.2 | 29.2 | 4.9 | 58 |
| 600075 | 12 x 14 | 172 | 26.2 | 29.2 | 4.9 | 58 |
| 600076 | 13 x 14 | 192 | 31.2 | 33.2 | 5.4 | 81 |
| 600077 | 13 x 15 | 192 | 31.2 | 33.2 | 5.4 | 84 |
| 600078 | 13 x 17 | 200 | 31.2 | 37.7 | 5.7 | 101 |
| 600079 | 14 x 15 | 192 | 31.2 | 33.2 | 5.4 | 83 |
| 600080 | 14 x 17 | 200 | 31.2 | 37.7 | 5.7 | 101 |
| 600081 | 15 x 17 | 206 | 35.7 | 37.7 | 5.7 | 108 |
| 600082 | 16 x 17 | 206 | 35.7 | 37,7 | 5.7 | 108 |
| 600083 | 17 x 19 | 223 | 39.5 | 41.5 | 6.2 | 143 |
| 600084 | 17 x 22 | 232 | 43,5 | 46 | 6.2 | 193 |
| 600085 | 18 x 19 | 223 | 39.5 | 41.5 | 6.2 | 148 |
| 600086 | 19 x 22 | 232 | 43.5 | 46 | 6.7 | 183 |
| 600088 | 20 x 22 | 232 | 43.5 | 46 | 6.7 | 180 |
| 600089 | 21 x 23 | 249 | 46 | 52 | 7.2 | 235 |
| 600090 | 22 x 24 | 249 | 46 | 52 | 7.2 | 237 |

|  |  | L | B1 | B2 | A |  |
|--|---|-----|------|-------|------|---|
| 600091 | 22 x 27 | 265 | 51,8 | 55,3 | 7.2 | 301 |
| 600092 | 24 x 26 | 265 | 51.8 | 55.3 | 7.7 | 289 |
| 600093 | 24 x 27 | 265 | 53.8 | 51,8 | 7.7 | 289 |
| 600095 | 25 x 28 | 279 | 62.8 | 53,8 | 8.2 | 344 |
| 600096 | 27 x 29 | 309 | 62.8 | 67.3 | 9.2 | 535 |
| 600097 | 27 x 30 | 309 | 62.8 | 67.3 | 9.2 | 527 |
| 600098 | 27 x 32 | 309 | 62.8 | 67.3 | 9.2 | 541 |
| 600099 | 30 x 32 | 309 | 62.8 | 67.3 | 9.2 | 532 |
| 603848 | 30 x 34 | 315 | 62.8 | 68.8 | 9.6 | 568 |
| 602593 | 30 x 36 | 319 | 62.8 | 78.8 | 9.6 | 591 |
| 600100 | 32 x 36 | 327 | 68.8 | 78.8 | 9.6 | 653 |
| 600101 | 34 x 36 | 327 | 68.8 | 78.8 | 9.6 | 628 |
| 600102 | 36 x 41 | 360 | 78.8 | 86.8 | 9.6 | 823 |
| 605549 | 38 x 42 | 360 | 78.8 | 86.8 | 9.6 | 822 |
| 602594 | 41 x 46 | 410 | 86.8 | 94.8 | 14.6 | 1735 |
| 602595 | 46 x 50 | 460 | 94.8 | 103.9 | 15.6 | 2365 |
| 605348 | 1/4" x 5/16" | 121 | 14.4 | 16.4 | 3.4 | 15 |
| 605349 | 5/16" x 3/8" | 140 | 18.4 | 22.9 | 3.7 | 24 |
| 605350 | 3/8" x 7/16" | 159 | 22.7 | 24.2 | 4.5 | 40 |
| 605351 | 7/16" x 1/2" | 172 | 26.3 | 29.2 | 4.9 | 58 |
| 605352 | 1/2" x 9/16" | 192 | 31.2 | 33.2 | 5.4 | 81 |
| 605353 | 9/16" x 5/8" | 192 | 31.2 | 33.2 | 5.4 | 83 |
| 605354 | 5/8" x 11/16" | 206 | 35.7 | 37.7 | 5.7 | 108 |
| 605355 | 11/16" x 3/4" | 223 | 39.5 | 41.5 | 6.2 | 143 |
| 605356 | 13/16" x 7/8" | 249 | 46 | 52 | 7.2 | 237 |
| 605357 | 15/16" x 1" | 265 | 51.8 | 55.3 | 7.7 | 301 |
| 605358 | 1" x 1.1/8 | 279 | 53.8 | 58.8 | 8.2 | 344 |
| 605359 | 1.1/16" x 1.1/4" | 309 | 62.8 | 67.3 | 9.2 | 527 |

* Obrázky produktů jsou symbolické. Všechny rozměry jsou v mm a hmotnost v gramech. Všechny uvedené rozměry se mohou lišit v toleranci.

Používání (obrázky)



Související produkty

 Očkoploché klíče, dlouhý typ

 Očkoploché klíče, krátký typ

 Otevřené maticové klíče

Bezpečnost (obrázky)

