

Open end wrench

110/1



Profiles


Premium  

Standards

ISO 10102

Product features

- material: premium chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: trivalent chrome plated according to ISO 1456:2009
- polished head
- made according to standard ISO 10102 (only metric dimension)
- head of the wrench under 15°



603316



4 x 4.5

L

100

B1

14

B2

14

A

3.4



10





L





B1

B2

A




603317	4 x 5	100	14	14	3.4	10
603318	5 x 5.5	100	14	14	3.4	10
600060	5.5 x 7	121	14.4	16.4	3.4	15
600061	6 x 7	121	14.4	16.4	3.4	15
600062	7 x 8	140	18.4	22.9	3.7	24
600064	8 x 9	140	18.4	22.9	3.7	24
600065	8 x 10	140	18.4	22.9	3.7	23
600068	10 x 11	159	22.7	24.2	4.5	40
600069	10 x 12	172	26.2	29.2	4.9	58
600070	10 x 13	172	26.2	29.2	4.9	59
600072	11 x 13	172	26.2	29.2	4.9	58
600074	12 x 13	172	26.2	29.2	4.9	58
600075	12 x 14	172	26.2	29.2	4.9	58
600076	13 x 14	192	31.2	33.2	5.4	81
600077	13 x 15	192	31.2	33.2	5.4	84
600078	13 x 17	200	31.2	37.7	5.7	101
600079	14 x 15	192	31.2	33.2	5.4	83
600080	14 x 17	200	31.2	37.7	5.7	101
600082	16 x 17	206	35.7	37,7	5.7	108
600083	17 x 19	223	39.5	41.5	6.2	143
600085	18 x 19	223	39.5	41.5	6.2	148
600086	19 x 22	232	43.5	46	6.7	183
600088	20 x 22	232	43.5	46	6.7	180
600089	21 x 23	249	46	52	7.2	235
600090	22 x 24	249	46	52	7.2	237
600092	24 x 26	265	51.8	55.3	7.7	289
600093	24 x 27	265	53.8	51,8	7.7	289
600095	25 x 28	279	62.8	53,8	8.2	344
600096	27 x 29	309	62.8	67.3	9.2	535





		L	B1	B2	A		
600097	27 x 30	309	62.8	67.3	9.2	527	
600098	27 x 32	309	62.8	67.3	9.2	541	
600099	30 x 32	309	62.8	67.3	9.2	532	
600100	32 x 36	327	68.8	78.8	9.6	653	
600101	34 x 36	327	68.8	78.8	9.6	628	
600102	36 x 41	360	78.8	86.8	9.6	823	
605549	38 x 42	360	78.8	86.8	9.6	822	
602594	41 x 46	410	86.8	94.8	14.6	1735	
602595	46 x 50	460	94.8	103.9	15.6	2365	

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.

Usage (pictures)



Related products

-  Combination wrench, long type
-  Combination wrench, short type
-  Open end wrench
-  Insulated single open end wrench

Safety (pictures)

