

Steeksleutel

110/1



Profielen


Premium  

Standaard

ISO 10102

Product attributen

- materiaal: premium chroom vanadium staal
- in matrijs gesmeed, volledig gehard en getemperd
- surface finish: trivalent chrome plated according to ISO 1456:2009
- gepolijste kop
- made according to standard ISO 10102 (only metric dimension)
- head of the wrench under 15°



603316



4 x 4.5

L

100

B1

14

B2

14

A

3.4



10



L




B1

B2

A




603317	4 x 5	100	14	14	3.4	10
603318	5 x 5.5	100	14	14	3.4	10
600060	5.5 x 7	121	14.4	16.4	3.4	15
600061	6 x 7	121	14.4	16.4	3.4	15
600062	7 x 8	140	18.4	22.9	3.7	24
600064	8 x 9	140	18.4	22.9	3.7	24
600065	8 x 10	140	18.4	22.9	3.7	23
600066	9 x 10	159	22.7	24.2	4.5	43
600067	9 x 11	159	22.7	24.2	4.5	40
600068	10 x 11	159	22.7	24.2	4.5	40
600069	10 x 12	172	26.2	29.2	4.9	58
600070	10 x 13	172	26.2	29.2	4.9	59
600072	11 x 13	172	26.2	29.2	4.9	58
600074	12 x 13	172	26.2	29.2	4.9	58
600075	12 x 14	172	26.2	29.2	4.9	58
600076	13 x 14	192	31.2	33.2	5.4	81
600077	13 x 15	192	31.2	33.2	5.4	84
600078	13 x 17	200	31.2	37.7	5.7	101
600079	14 x 15	192	31.2	33.2	5.4	83
600080	14 x 17	200	31.2	37.7	5.7	101
600081	15 x 17	206	35.7	37.7	5.7	108
600082	16 x 17	206	35.7	37,7	5.7	108
600083	17 x 19	223	39.5	41.5	6.2	143
600084	17 x 22	232	43,5	46	6.2	193
600085	18 x 19	223	39.5	41.5	6.2	148
600086	19 x 22	232	43.5	46	6.7	183
600088	20 x 22	232	43.5	46	6.7	180
600089	21 x 23	249	46	52	7.2	235
600090	22 x 24	249	46	52	7.2	237

		L	B1	B2	A	
600091	22 x 27	265	51,8	55,3	7.2	301
600092	24 x 26	265	51.8	55.3	7.7	289
600093	24 x 27	265	53.8	51,8	7.7	289
600095	25 x 28	279	62.8	53,8	8.2	344
600096	27 x 29	309	62.8	67.3	9.2	535
600097	27 x 30	309	62.8	67.3	9.2	527
600098	27 x 32	309	62.8	67.3	9.2	541
600099	30 x 32	309	62.8	67.3	9.2	532
603848	30 x 34	315	62.8	68.8	9.6	568
602593	30 x 36	319	62.8	78.8	9.6	591
600100	32 x 36	327	68.8	78.8	9.6	653
600101	34 x 36	327	68.8	78.8	9.6	628
600102	36 x 41	360	78.8	86.8	9.6	823
605549	38 x 42	360	78.8	86.8	9.6	822
602594	41 x 46	410	86.8	94.8	14.6	1735
602595	46 x 50	460	94.8	103.9	15.6	2365
605348	1/4" x 5/16"	121	14.4	16.4	3.4	15
605349	5/16" x 3/8"	140	18.4	22.9	3.7	24
605350	3/8" x 7/16"	159	22.7	24.2	4.5	40
605351	7/16" x 1/2"	172	26.3	29.2	4.9	58
605352	1/2" x 9/16"	192	31.2	33.2	5.4	81
605353	9/16" x 5/8"	192	31.2	33.2	5.4	83
605354	5/8" x 11/16"	206	35.7	37.7	5.7	108
605355	11/16" x 3/4"	223	39.5	41.5	6.2	143
605356	13/16" x 7/8"	249	46	52	7.2	237
605357	15/16" x 1"	265	51.8	55.3	7.7	301
605358	1" x 1.1/8	279	53.8	58.8	8.2	344
605359	1.1/16" x 1.1/4"	309	62.8	67.3	9.2	527

* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.

Gebruik (Afbeeldingen)



Gerelateerde producten

 Steekringsleutel, lang

 Steekringsleutel, kort

 Steeksleutel

Veiligheid (Afbeeldingen)

