

Izvijač križni (PH)

615CR



Profili




Standardi

ISO 8764-1, 2

Atributi proizvoda

- vrh od krom-vanadij-molibdena, u cjelosti ojačan i zakaljen
- tijelo kromirano, vrh bruniran
- ručka ergonomski oblikovana
- ručica od polipropilena
- otvor u dršci za viješanje
- izrađeno prema standardu DIN ISO 8764-1: 2006, DIN ISO 8764-2: 2006, DIN EN ISO 4757: 1994
- izrađen prema standardu DIN 5260-PH



| | + | С | L | D | 1 |
|--------|------|----|-----|-----|----------|
| 616363 | PH 0 | 60 | 145 | 3 | 34 |
| 616364 | PH 1 | 80 | 165 | 4.5 | 60 |

| | + | C | L | D | 1 |
|--------|------|-----|-----|-----|----------|
| 616365 | PH 1 | 200 | 285 | 4.5 | 74 |
| 616366 | PH 2 | 100 | 200 | 6 | 94 |
| 616367 | PH 2 | 150 | 250 | 6 | 104 |
| 616368 | PH 3 | 150 | 260 | 8 | 154 |
| 616369 | PH 4 | 200 | 320 | 10 | 230 |

* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.

Safety tips

\checkmark

• Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas.

• Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.

• A rounded tip should be redressed with a file; make sure edges are straight.

• Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.

• Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.

• A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes. X


• Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.

• Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.

• Don't use a screwdriver with a split or broken handle.

• Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live.

Safety (pictures)



Frequently asked questions

Can you hit the screwdriver?

No, you should not hit the screwdriver.

Can a screwdriver with a PH tip be used for PZ cross head screws? Its use is not recommended as this can cause damage to the screw.