

# Steckschlüssel 12-kant 1/4 Zoll

188/2 12p



## Profile

---




## Standards

---

ISO 2725-1

## Produkteigenschaften

- Material: Premium Flex Chrom-Vanadium-Stahl
- geschmiedet, gehärtet und vergütet
- verchromt gemäß Industriestandard ISO 1456:2009
- gefertigt laut Standard ISO 2725-1 (nur metrische Dim.)



| Barcode | mm     | L  | D1   | D2   | T  | Weight |
|---------|--------|----|------|------|----|--------|
| 616857  | 4      | 25 | 6.8  | 11.9 | 5  | 15     |
| 616858  | 4.5    | 25 | 7.1  | 11.9 | 5  | 15     |
| 616859  | 5      | 25 | 8    | 11.9 | 5  | 15     |
| 616860  | 5.5    | 25 | 8.3  | 11.9 | 5  | 15     |
| 616861  | 6      | 25 | 9.3  | 11.9 | 5  | 15     |
| 616862  | 7      | 25 | 10.5 | 11.9 | 5  | 15     |
| 616863  | 8      | 25 | 10.5 | 11.9 | 5  | 15     |
| 616864  | 9      | 25 | 10.5 | 13.1 | 8  | 15     |
| 616865  | 10     | 25 | 10.5 | 14.5 | 8  | 39     |
| 616866  | 11     | 25 | 10.5 | 15.8 | 8  | 39     |
| 616867  | 12     | 25 | 10.5 | 16.8 | 8  | 39     |
| 616868  | 13     | 25 | 10.5 | 17.8 | 10 | 39     |
| 616869  | 14     | 25 | 10.5 | 19.6 | 10 | 39     |
| 616870  | 3/16"  | 25 | 8    | 11.9 | 5  | 15     |
| 616871  | 7/32"  | 25 | 8.3  | 11.9 | 5  | 15     |
| 616872  | 1/4"   | 25 | 9.3  | 11.9 | 5  | 15     |
| 616873  | 9/32"  | 25 | 10.5 | 11.9 | 5  | 15     |
| 616874  | 5/16"  | 25 | 10.5 | 11.9 | 5  | 15     |
| 616875  | 11/32" | 25 | 10.5 | 12.9 | 5  | 15     |
| 616876  | 3/8"   | 25 | 10.5 | 13.9 | 8  | 39     |
| 616877  | 13/32" | 25 | 10.5 | 14   | 8  | 39     |
| 616878  | 7/16"  | 25 | 10.5 | 15.8 | 8  | 39     |
| 616879  | 1/2"   | 25 | 10.5 | 17.8 | 10 | 39     |
| 616880  | 9/16"  | 25 | 10.5 | 19.6 | 10 | 39     |

\* Bilder von Produkten sind Symbolfotos. Abmessungen sind in mm, Gewichte in Gramm.

## Häufig gestellte Fragen

**I attached the socket wrench to the pneumatic tool and the wall cracked. What could be wrong?**

When working with pneumatic screwdrivers, you must use an impact socket wrench.